


### 單片鋼質塊規

**定制塊規**  
可定制0.5~1000mm以內的任意長度, 如72.672mm



- 可提供0級, 1級和2級塊規
- 材質: 合金鋼
- 符合ISO-3650
- 以下規格帶孔: 125, 150, 175, 200, 250, 300, 400, 500, 600, 700, 800, 900, 1000mm
- 帶生產廠檢驗證書

**型號說明:**

4101-X□□□□□  
 — A代表0級  
 — B代表1級  
 — C代表2級

**型號舉例:**

長度(L)	級	型號
0.5mm	0	4101-AD5
1mm	1	4101-B1
10.5mm	2	4101-C10D5

**塊規尺寸:**

長度(L)	W	H
0.5≤L≤10mm	9mm	30mm
L>10mm	9mm	35mm

**1級 (mm)**

型號	長度(L)	金額
4101-BD5	0.5	907.00
4101-B1	1	608.00
4101-B1D001	1.001	713.00
4101-B1D002	1.002	713.00
4101-B1D003	1.003	713.00
4101-B1D004	1.004	713.00
4101-B1D005	1.005	713.00
4101-B1D006	1.006	713.00
4101-B1D009	1.009	713.00
4101-B1D01	1.01	713.00
4101-B1D02	1.02	715.00
4101-B1D03	1.03	713.00
4101-B1D04	1.04	713.00
4101-B1D05	1.05	713.00
4101-B1D06	1.06	713.00
4101-B1D07	1.07	713.00
4101-B1D08	1.08	713.00
4101-B1D09	1.09	713.00
4101-B1D1	1.1	713.00
4101-B1D12	1.12	713.00
4101-B1D15	1.15	713.00
4101-B1D16	1.16	713.00
4101-B1D18	1.18	713.00
4101-B1D19	1.19	713.00
4101-B1D2	1.2	713.00
4101-B1D21	1.21	713.00
4101-B1D22	1.22	713.00
4101-B1D24	1.24	713.00
4101-B1D25	1.25	713.00
4101-B1D26	1.26	713.00
4101-B1D27	1.27	713.00
4101-B1D3	1.3	713.00
4101-B1D32	1.32	713.00
4101-B1D33	1.33	713.00
4101-B1D34	1.34	713.00
4101-B1D35	1.35	713.00
4101-B1D36	1.36	713.00
4101-B1D37	1.37	713.00

**1級 (mm)**

型號	長度(L)	金額
4101-B1D4	1.4	713.00
4101-B1D42	1.42	713.00
4101-B1D43	1.43	713.00
4101-B1D45	1.45	713.00
4101-B1D46	1.46	713.00
4101-B1D47	1.47	713.00
4101-B1D48	1.48	713.00
4101-B1D49	1.49	713.00
4101-B1D5	1.5	713.00
4101-B1D6	1.6	713.00
4101-B1D7	1.7	713.00
4101-B1D8	1.8	713.00
4101-B1D9	1.9	713.00
4101-B2	2	608.00
4101-B2D5	2.5	713.00
4101-B3	3	608.00
4101-B3D5	3.5	713.00
4101-B4	4	608.00
4101-B4D5	4.5	713.00
4101-B5	5	609.00
4101-B5D5	5.5	714.00
4101-B6	6	624.00
4101-B7	7	624.00
4101-B7D5	7.5	732.00
4101-B8	8	624.00
4101-B8D5	8.5	732.00
4101-B9	9	624.00
4101-B9D5	9.5	732.00
4101-B10	10	681.00
4101-B11	11	799.00
4101-B12	12	799.00
4101-B13	13	799.00
4101-B14	14	800.00
4101-B15	15	683.00
4101-B16	16	800.00
4101-B18	18	802.00
4101-B20	20	684.00
4101-B21	21	801.00

**1級 (mm)**

型號	長度(L)	金額
4101-B22	22	801.00
4101-B23	23	802.00
4101-B25	25	685.00
4101-B30	30	1194.00
4101-B35	35	2030.00
4101-B40	40	1181.00
4101-B45	45	2267.00
4101-B50	50	1189.00
4101-B60	60	1477.00
4101-B70	70	1567.00
4101-B75	75	1568.00
4101-B80	80	1711.00
4101-B90	90	1857.00
4101-B100	100	2003.00
4101-B125	125	3451.00
4101-B131D4	131.4	5651.00
4101-B150	150	4837.00

**0級 (mm)**

型號	長度(L)	金額
4101-A1	1	940.00
4101-A10	10	1066.00
4101-A100	100	2611.00

**2級 (mm)**

型號	長度(L)	金額
4101-C1	1	497.00
4101-C10	10	625.00
4101-C100	100	1573.00
4101-C200	200	5471.00
4101-C250	250	6119.00
4101-C300	300	7376.00

鋼質塊規組

- 材質: 合金鋼
- 符合 ISO3650
- L≥125mm帶孔
- 帶生產廠檢驗證書

檢驗證書


暢銷產品



4100-87

塊規尺寸:

長度(L)	W	H
0.5≤L≤10mm	9mm	30mm
L>10mm	9mm	35mm




每套塊數	包含的塊規			型號		金額	型號		金額
	長度(mm)	間隔(mm)	數量	1級	2級				
122	1.0005	0.001	1	4100-1122	37826.00	4100-2122	18866.00		
	1.001-1.009		9						
	1.01-1.49		0.01					49	
	1.6-1.9		0.1					4	
	0.5-24.5		0.5					49	
	30-100		10					8	
25-75	50	2							
112	1.0005	0.001	1	4100-1112	33376.00	4100-2112	18310.00		
	1.001-1.009		9						
	1.01-1.49		0.01					49	
	0.5-24.5		0.5					49	
	25-100		25					4	

每套塊數	包含的塊規			型號		金額	型號		金額	
	長度(mm)	間隔(mm)	數量	0級	1級		2級			
87	1.001-1.009	0.001	9	4100-87	48444.00	4100-187	22354.00	4100-287	11642.00	
	1.01-1.49		0.01							49
	0.5-9.5		0.5							19
	10-100		10							10
47	1.005	0.01	1	4100-47	30820.00	4100-147	13531.00	4100-247	7343.00	
	1.01-1.19		0.1							19
	1.2-1.9		1							8
	1-9		9							9
	10-100		10							10
32	1.005	0.01	1	4100-32	21182.00	4100-132	9137.00	4100-232	5082.00	
	1.01-1.09		0.1							9
	1.1-1.9		0.1							9
	1-9		1							9
	10-30		10							3
	50		50							1
8	125-175	25	3	4100-8	81965.00	4100-18	43079.00	4100-28	29462.00	
	200-250		50							2
	300-500		100							3

鋼制卡尺檢查塊規

檢驗證書



4108-3005

- 符合ISO-3650/2級
- 帶生產廠檢驗證書


(mm)

型號	材質	包含的塊規(L)	適用的卡尺	金額
4108-3005	鋼	30, 41.3, 131.4, 243.5, 281.2	0-150, 0-200, 0-300	18318.00

鋼制測微器檢查塊規

檢驗證書

平面平晶(標配)



4160-10

應用



塊規尺寸:

長度(L)	W	H
0.5≤L≤10mm	9mm	30mm
L>10mm	9mm	35mm

- 符合ISO3650/0級
- 配一個平面平晶(規格Ø30x12mm), 檢查平面度
- 帶生產廠檢驗證書

型號	材質	每套包含的塊規	適用的測微器	金額
4160-10	鋼	2.5mm, 5.1mm, 7.7mm, 10.3mm, 12.9mm, 15mm, 17.6mm, 20.2mm, 22.8mm, 25mm	0-25mm	20688.00

### 卡尺/高度計校正器

檢驗證書


- 用于檢測卡尺和高度計
- 鋼制塊規




平放



豎放



檢測卡尺內量爪




檢測卡尺外量爪




檢測高度計

6884-300

單位: mm



6884-300



6884-600

型號	規格	內尺寸測定範圍(mm)	外尺寸測定範圍(mm)	高度測定範圍(mm)	精度	金額
6884-300*	0-300mm	20, 50, 100, 150, 200, 250, 300, 330	20, 50, 100, 150, 200, 250, 300, 330, 360	20, 50, 100, 150, 200, 250, 300, 330, 360	±3μm	73456.00
6884-600*	0-600mm	20, 50, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 630	20, 50, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 630, 660	20, 50, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 630, 660	±5μm	128170.00

\*帶生產廠檢驗證書

### 內徑測微器附件

- 所配塊規為5mm硬質合金塊規



6884-A10

型號

6884-A10\*

\*帶生產廠檢驗證書

用于設定內徑測微器




### 單支硬質合金針規

檢驗證書

- 符合DIN2269, 精度1級
- 直徑範圍: Ø0.300~Ø30.000mm
- 可提供帶三位小數的尺寸, 如0.311mm, 5.562mm, 16.298mm
- 直徑精度: ±1μm
- 材質: 硬質合金
- 硬度HRA90-90.5
- 可選附件: 木盒(型號7340)

型號	直徑範圍Ød(mm)
4193-□□□□*	0.300~30.000

\*帶生產廠檢驗證書



4193-8D015



型號舉例:

直徑	型號
0.311mm	4193-0D311
5.562mm	4193-5D562
16.298mm	4193-16D298

注意: "D"代表小數點


### 單支鋼針規(二位小數)

- 符合DIN2269, 精度1級
- 直徑範圍: Ø0.20~Ø20.00mm
- 直徑精度: ±1μm
- 材質: 鋼
- 硬度HRC62-65
- 可選附件: 木盒(型號7340)

型號  
4110-□□□□□

直徑Ød(mm)	直徑Ød(mm)
0.20, 0.21, 0.22, 0.23, ... 1.00	10.01, 10.02, 10.03, 10.04, ... 11.00
1.01, 1.02, 1.03, 1.04, ... 2.00	11.01, 11.02, 11.03, 11.04, ... 12.00
2.01, 2.02, 2.03, 2.04, ... 3.00	12.01, 12.02, 12.03, 12.04, ... 13.00
3.01, 3.02, 3.03, 3.04, ... 4.00	13.01, 13.02, 13.03, 13.04, ... 14.00
4.01, 4.02, 4.03, 4.04, ... 5.00	14.01, 14.02, 14.03, 14.04, ... 15.00
5.01, 5.02, 5.03, 5.04, ... 6.00	15.01, 15.02, 15.03, 15.04, ... 16.00
6.01, 6.02, 6.03, 6.04, ... 7.00	16.01, 16.02, 16.03, 16.04, ... 17.00
7.01, 7.02, 7.03, 7.04, ... 8.00	17.01, 17.02, 17.03, 17.04, ... 18.00
8.01, 8.02, 8.03, 8.04, ... 9.00	18.01, 18.02, 18.03, 18.04, ... 19.00
9.01, 9.02, 9.03, 9.04, ... 10.00	19.01, 19.02, 19.03, 19.04, ... 20.00

單位: mm




4110-9D98

型號舉例:

直徑	型號
0.21mm	4110-0D21
5.56mm	4110-5D56
16.00mm	4110-16D00

注意: "D"代表小數點

鋼針規套裝



4166-10

- 符合DIN2269, 精度1級
- 材質: 鋼
- 硬度HRC62-65
- 直徑精度: ±1µm

型號	直徑Ød(mm)	間隔	每套數量	金額
4166-411	1.0, 1.1, 1.2, … 5.0	0.1mm	41	6226.00
4166-511	5.0, 5.1, 5.2, … 10.0	0.1mm	51	8524.00
4166-512	10.0, 10.1, 10.2, … 15.0	0.1mm	51	15400.00
4166-513	15.0, 15.1, 15.2, … 20.0	0.1mm	51	24557.00

型號	直徑Ød(mm)	間隔	每套數量	金額
4166-2S	1.00, 1.01, 1.02, … 2.00	0.01mm	101	24685.00
4166-3S	2.00, 2.01, 2.02, … 3.00	0.01mm	101	24701.00
4166-4S	3.00, 3.01, 3.02, … 4.00	0.01mm	101	24716.00
4166-5S	4.00, 4.01, 4.02, … 5.00	0.01mm	101	24743.00
4166-6S	5.00, 5.01, 5.02, … 6.00	0.01mm	101	24770.00
4166-7S	6.00, 6.01, 6.02, … 7.00	0.01mm	101	24802.00
4166-8S	7.00, 7.01, 7.02, … 8.00	0.01mm	101	24850.00
4166-9S	8.00, 8.01, 8.02, … 9.00	0.01mm	101	24891.00
4166-10S	9.00, 9.01, 9.02, … 10.00	0.01mm	101	24939.00

型號	直徑Ød(mm)	間隔	每套數量	金額
4166-0D	0.20, 0.21, 0.22, … 0.50	0.01mm	31	7461.00
4166-1	0.50, 0.51, 0.52, … 1.00	0.01mm	51	11545.00
4166-1D	1.00, 1.01, 1.02, … 1.50	0.01mm	51	11553.00
4166-2	1.50, 1.51, 1.52, … 2.00	0.01mm	51	11549.00
4166-2D	2.00, 2.01, 2.02, … 2.50	0.01mm	51	11550.00
4166-3	2.50, 2.51, 2.52, … 3.00	0.01mm	51	11555.00
4166-3D	3.00, 3.01, 3.02, … 3.50	0.01mm	51	11558.00
4166-4	3.50, 3.51, 3.52, … 4.00	0.01mm	51	11555.00
4166-4D	4.00, 4.01, 4.02, … 4.50	0.01mm	51	11561.00
4166-5	4.50, 4.51, 4.52, … 5.00	0.01mm	51	11572.00
4166-5D	5.00, 5.01, 5.02, … 5.50	0.01mm	51	11582.00
4166-6	5.50, 5.51, 5.52, … 6.00	0.01mm	51	11594.00
4166-6D	6.00, 6.01, 6.02, … 6.50	0.01mm	51	11593.00
4166-7	6.50, 6.51, 6.52, … 7.00	0.01mm	51	11596.00
4166-7D	7.00, 7.01, 7.02, … 7.50	0.01mm	51	11615.00
4166-8	7.50, 7.51, 7.52, … 8.00	0.01mm	51	11614.00
4166-8D	8.00, 8.01, 8.02, … 8.50	0.01mm	51	11623.00
4166-9	8.50, 8.51, 8.52, … 9.00	0.01mm	51	11652.00
4166-9D	9.00, 9.01, 9.02, … 9.50	0.01mm	51	12320.00
4166-10	9.50, 9.51, 9.52, … 10.00	0.01mm	51	12371.00

型號	直徑Ød(mm)	間隔	每套數量	金額
4166-10D	10.00, 10.01, 10.02, … 10.50	0.01mm	51	14880.00
4166-11	10.50, 10.51, 10.52, … 11.00	0.01mm	51	14875.00
4166-11D	11.00, 11.01, 11.02, … 11.50	0.01mm	51	14880.00
4166-12	11.50, 11.51, 11.52, … 12.00	0.01mm	51	14896.00
4166-12D	12.00, 12.01, 12.02, … 12.50	0.01mm	51	14911.00
4166-13	12.50, 12.51, 12.52, … 13.00	0.01mm	51	14929.00
4166-13D	13.00, 13.01, 13.02, … 13.50	0.01mm	51	18993.00
4166-14	13.50, 13.51, 13.52, … 14.00	0.01mm	51	19097.00
4166-14D	14.00, 14.01, 14.02, … 14.50	0.01mm	51	19098.00
4166-15	14.50, 14.51, 14.52, … 15.00	0.01mm	51	19127.00
4166-15D	15.00, 15.01, 15.02, … 15.50	0.01mm	51	19199.00
4166-16	15.50, 15.51, 15.52, … 16.00	0.01mm	51	19217.00
4166-16D	16.00, 16.01, 16.02, … 16.50	0.01mm	51	19238.00
4166-17	16.50, 16.51, 16.52, … 17.00	0.01mm	51	19267.00
4166-17D	17.00, 17.01, 17.02, … 17.50	0.01mm	51	24008.00
4166-18	17.50, 17.51, 17.52, … 18.00	0.01mm	51	24121.00
4166-18D	18.00, 18.01, 18.02, … 18.50	0.01mm	51	24140.00
4166-19	18.50, 18.51, 18.52, … 19.00	0.01mm	51	24166.00
4166-19D	19.00, 19.01, 19.02, … 19.50	0.01mm	51	24192.00
4166-20	19.50, 19.51, 19.52, … 20.00	0.01mm	51	24210.00


單支陶瓷針規

- 符合DIN2269, 精度1級
- 直徑範圍: Ø1.000-Ø15.000mm
- 可供帶三位小數的尺寸, 如1.211mm, 5.562mm, 14.955mm
- 直徑精度: ±1µm
- 陶瓷材料制成, 耐磨性好, 耐腐蝕性好, 尺寸穩定性好
- 可選附件: 木盒(型號7340)

型號舉例:

直徑	型號
1.211mm	4192-1D211
5.562mm	4192-5D562
14.955mm	4192-14D955

注意: "D"代表小數點



4192-10D000

型號	直徑範圍Ød(mm)
4192-□□□□□	1.000-15.000

### 針規手柄(操作無需扳手)

型號	適用針規直徑	外形尺寸(mm)		金額
		H	L	
7342-M0	0.3-1.25mm/0.011-0.049"	10	112	1523.00
7342-M1	1.26-6.35mm/0.050-0.250"	24	131	1523.00
7342-M2	6.36-12.70mm/0.251-0.500"	32	152	1793.00
7342-M3	12.71-15.88mm/0.501-0.625"	37	152	2058.00
7342-M4	15.89-19.00mm/0.626-0.750"	37	152	2452.00
7342-M5	19.01-21.13mm/0.751-0.832"	40	158	2768.00
7342-M6	21.14-23.27mm/0.833-0.916"	40	158	3038.00
7342-M7	23.28-25.4mm/0.917-1.000"	40	158	3232.00




7342-M1




- 徒手操作, 無需扳手
- 鋁合金材質
- 可安裝針規



### 針規手柄(操作需扳手)



型號	適用針規直徑(mm)	手把	包含	外形尺寸(mm)		金額
			夾頭(mm)	H	L	
7341-0S	0.2-1.02	1個	6對(夾持範圍分別為0.2-0.38, 0.38-0.51, 0.51-0.64, 0.64-0.76, 0.76-0.89, 0.89-1.02)	7	57	963.00
7341-1S	1.02-1.91	1個	7對(夾持範圍分別為1.02-1.14, 1.14-1.27, 1.27-1.40, 1.40-1.52, 1.52-1.65, 1.65-1.78, 1.78-1.91)	7	57	1030.00
7341-2S	1.91-3.33	1個	8對(夾持範圍分別為1.91-2.08, 2.08-2.26, 2.26-2.44, 2.44-2.62, 2.62-2.79, 2.79-2.97, 2.97-3.15, 3.15-3.33)	9	73	1131.00
7341-3S	3.33-4.57	1個	7對(夾持範圍分別為3.33-3.51, 3.51-3.68, 3.68-3.86, 3.86-4.04, 4.04-4.22, 4.22-4.39, 4.39-4.57)	9	73	1042.00
7341-4S	4.57-5.79	1個	6對(夾持範圍分別為4.57-4.78, 4.78-4.98, 4.98-5.18, 5.18-5.38, 5.38-5.59, 5.59-5.79)	14	79	1114.00
7341-5S	5.79-7.14	1個	6對(夾持範圍分別為5.79-5.99, 5.99-6.20, 6.20-6.40, 6.40-6.63, 6.63-6.88, 6.88-7.14)	14	79	1128.00
7341-6S	7.14-8.66	1個	6對(夾持範圍分別為7.14-7.39, 7.39-7.65, 7.65-7.90, 7.90-8.15, 8.15-8.41, 8.41-8.66)	19	91	1326.00
7341-7S	8.66-10.31	1個	6對(夾持範圍分別為8.66-8.92, 8.92-9.17, 9.17-9.42, 9.42-9.70, 9.70-10.01, 10.01-10.31)	19	91	1327.00
7341-8S	10.31-11.81	1個	4對(夾持範圍分別為10.31-10.67, 10.67-11.05, 11.05-11.43, 11.43-11.81)	22	106	1260.00
7341-9S	11.81-12.95	1個	3對(夾持範圍分別為11.81-12.19, 12.19-12.57, 12.57-12.95)	22	106	1101.00
7341-10S	12.95-14.71	1個	4對(夾持範圍分別為12.95-13.51, 13.51-13.89, 13.89-14.30, 14.30-14.71)	24	115	1586.00
7341-11S	14.71-16.13	1個	4對(夾持範圍分別為14.71-15.09, 15.09-15.49, 15.49-15.88, 15.88-16.13)	24	115	1585.00
7341-12S	16.13-17.88	1個	4對(夾持範圍分別為16.13-16.66, 16.66-17.07, 17.07-17.48, 17.48-17.88)	27	118	1836.00
7341-13S	17.88-19.30	1個	4對(夾持範圍分別為17.88-18.26, 18.26-18.67, 18.67-19.05, 19.05-19.30)	27	118	1837.00
7341-15S	19.30-24.80	1個	8對(夾持範圍分別為19.30-19.84, 19.84-20.62, 20.62-21.41, 21.41-22.23, 22.23-23.03, 23.03-23.80, 23.80-24.59, 24.59-24.80)	32	133	3438.00



手把



銅夾頭(0.2~7.14mm)



鋁夾頭(7.14~24.80mm)

- 安裝針規時需要用扳手擰緊
- 夾持範圍0.2~7.14mm的夾頭材質為銅, 7.14~24.80mm的夾頭材質為鋁

單頭針規手柄(操作需扳手)



綠色(通端)  
7344-4G



紅色(止端)  
7344-4R




銅夾頭  
(0.2~7.14mm)



鋁夾頭  
(7.14~24.80mm)




- 安裝針規時需要用扳手擰緊
- 夾持範圍0.2~7.14mm的夾頭材質為銅, 7.14~24.80mm的夾頭材質為鋁



型號		型號		包含		適用針規直徑(mm)	外形尺寸(mm)	
綠色(通端)	金額	紅色(止端)	金額	手把	夾頭(mm)		H	L
7344-0G	619.00	7344-0R	619.00	1個	6個(夾持範圍分別為0.2-0.38, 0.38-0.51, 0.51-0.64, 0.64-0.76, 0.76-0.89, 0.89-1.02)	0.2-1.02	7	52
7344-1G	663.00	7344-1R	663.00	1個	7個(夾持範圍分別為1.02-1.14, 1.14-1.27, 1.27-1.40, 1.40-1.52, 1.52-1.65, 1.65-1.78, 1.78-1.91)	1.02-1.91	7	52
7344-2G	729.00	7344-2R	729.00	1個	8個(夾持範圍分別為1.91-2.08, 2.08-2.26, 2.26-2.44, 2.44-2.62, 2.62-2.79, 2.79-2.97, 2.97-3.15, 3.15-3.33)	1.91-3.33	9	68
7344-3G	686.00	7344-3R	686.00	1個	7個(夾持範圍分別為3.33-3.51, 3.51-3.68, 3.68-3.86, 3.86-4.04, 4.04-4.22, 4.22-4.39, 4.39-4.57)	3.33-4.57	9	68
7344-4G	733.00	7344-4R	733.00	1個	6個(夾持範圍分別為4.57-4.78, 4.78-4.98, 4.98-5.18, 5.18-5.38, 5.38-5.59, 5.59-5.79)	4.57-5.79	14	73
7344-5G	733.00	7344-5R	733.00	1個	6個(夾持範圍分別為5.79-5.99, 5.99-6.20, 6.20-6.40, 6.40-6.63, 6.63-6.88, 6.88-7.14)	5.79-7.14	14	73
7344-6G	870.00	7344-6R	870.00	1個	6個(夾持範圍分別為7.14-7.39, 7.39-7.65, 7.65-7.90, 7.90-8.15, 8.15-8.41, 8.41-8.66)	7.14-8.66	19	79
7344-7G	872.00	7344-7R	872.00	1個	6個(夾持範圍分別為8.66-8.92, 8.92-9.17, 9.17-9.42, 9.42-9.70, 9.70-10.01, 10.01-10.31)	8.66-10.31	19	79
7344-8G	895.00	7344-8R	895.00	1個	4個(夾持範圍分別為10.31-10.67, 10.67-11.05, 11.05-11.43, 11.43-11.81)	10.31-11.81	22	93
7344-9G	807.00	7344-9R	807.00	1個	3個(夾持範圍分別為11.81-12.19, 12.19-12.57, 12.57-12.95)	11.81-12.95	22	93
7344-10G	1072.00	7344-10R	1072.00	1個	4個(夾持範圍分別為12.95-13.51, 13.51-13.89, 13.89-14.30, 14.30-14.71)	12.95-14.71	24	98
7344-11G	1074.00	7344-11R	1074.00	1個	4個(夾持範圍分別為14.71-15.09, 15.09-15.49, 15.49-15.88, 15.88-16.13)	14.71-16.13	24	98
7344-12G	1272.00	7344-12R	1272.00	1個	4個(夾持範圍分別為16.13-16.66, 16.66-17.07, 17.07-17.48, 17.48-17.88)	16.13-17.88	27	110
7344-13G	1273.00	7344-13R	1273.00	1個	4個(夾持範圍分別為17.88-18.26, 18.26-18.67, 18.67-19.05, 19.05-19.30)	17.88-19.30	27	110
7344-15G	2202.00	7344-15R	2202.00	1個	8個(夾持範圍分別為19.30-19.84, 19.84-20.62, 20.62-21.41, 21.41-22.23, 22.23-23.03, 23.03-23.80, 23.80-24.59, 24.59-24.80)	19.30-24.80	32	118

可調極限卡規

適合快速測量圓柱型工件



2187-19

- 可設置上限和下限作為通止規使用
- 測砧平面度: 1.5µm
- 測頭與測砧的平行度:  
測定範圍0-32mm: 3µm  
測定範圍32-89mm: 4µm  
測定範圍89-300mm: 5µm


型號	測定範圍	L	A	B	E	F	H	Ød	金額
2187-6	0-6mm	74	15	17.5	12.2	27.2	71.5	7	4199.00
2187-13	6-13mm	85	15	26	12.2	27.2	79.5	12.3	4203.00
2187-19	13-19mm	93	15	27	12.2	27.2	83	12.3	4596.00
2187-25	19-25mm	100	15	33.5	12.2	27.2	89.5	12.3	4719.00
2187-32	25-32mm	111	18	38.5	15.2	35.2	104	15.3	5357.00
2187-38	32-38mm	117	18	41.5	15.2	35.2	105	15.3	5402.00
2187-44	38-44mm	123	18	44.5	15.2	35.2	109	15.3	5561.00
2187-51	44-51mm	130	18	48	15.2	35.2	117	15.3	5698.00

### 校對環規





可以定制Ø1.5~Ø400mm之內的任何兩位小數的尺寸(例如Ø17.08mm)

- 用於設定內徑測微器、三點內徑測微器和缸徑規
- 環規上所刻尺寸為右圖所示檢測綫方向檢測的尺寸
- 供貨偏差為訂購尺寸與供貨時環規上所刻尺寸的偏差。
- 例如訂購尺寸為10mm，實際供貨時環規上所刻尺寸可能為10.010mm
- 符合DIN2250-1:2008



6312-20



直徑*	b	D	供貨偏差	圓度與錐度
Ø1.5-2.5mm	4mm	22mm	±10µm	0.3µm
Ø2.5-3mm	5mm	22mm	±10µm	0.3µm
Ø3-5mm	5mm	22mm	±10µm	0.4µm
Ø5-10mm	8mm	32mm	±10µm	0.4µm
Ø10-15mm	10mm	38mm	±10µm	0.5µm
Ø15-18mm	12mm	45mm	±10µm	0.5µm
Ø18-20mm	12mm	45mm	±10µm	0.6µm
Ø20-25mm	14mm	53mm	±10µm	0.6µm
Ø25-30mm	16mm	63mm	±10µm	0.6µm
Ø30-32mm	16mm	63mm	±10µm	0.7µm
Ø32-40mm	18mm	71mm	±10µm	0.7µm
Ø40-50mm	20mm	85mm	±10µm	0.7µm
Ø50-60mm	20mm	100mm	±10µm	0.8µm
Ø60-70mm	24mm	112mm	±10µm	0.8µm
Ø70-80mm	24mm	125mm	±10µm	0.8µm
Ø80-90mm	24mm	140mm	±10µm	1.0µm
Ø90-100mm	24mm	160mm	±10µm	1.0µm

直徑*	b	b1	D	供貨偏差	圓度與錐度
Ø100-110mm	30mm	8mm	164mm	±10µm	1.0µm
Ø110-130mm	34mm	10mm	192mm	±10µm	1.0µm
Ø130-150mm	34mm	10mm	220mm	±10µm	1.2µm
Ø150-170mm	36mm	10mm	248mm	±10µm	1.5µm
Ø170-190mm	36mm	10mm	276mm	±10µm	1.5µm
Ø190-210mm	38mm	10mm	300mm	±10µm	1.5µm
Ø210-230mm	38mm	10mm	324mm	±10µm	2.5µm
Ø230-250mm	40mm	12mm	350mm	±10µm	2.5µm
Ø250-270mm	40mm	12mm	375mm	±10µm	3.0µm
Ø270-290mm	42mm	12mm	400mm	±10µm	3.0µm
Ø290-300mm	42mm	42mm	425mm	±10µm	3.0µm
Ø300-320mm	42mm	12mm	430mm	±10µm	4.0µm
Ø320-330mm	42mm	12mm	440mm	±10µm	4.0µm
Ø330-340mm	42mm	12mm	450mm	±10µm	4.0µm
Ø340-350mm	42mm	12mm	460mm	±10µm	4.0µm
Ø350-360mm	42mm	12mm	470mm	±10µm	4.0µm
Ø360-370mm	42mm	12mm	480mm	±10µm	4.0µm
Ø370-380mm	42mm	12mm	490mm	±10µm	4.0µm
Ø380-390mm	42mm	12mm	500mm	±10µm	4.0µm
Ø390-400mm	42mm	12mm	510mm	±10µm	4.0µm

\*例如Ø3-5mm表示Ø3mm<直徑≤Ø5mm

型號	直徑	金額
6312-1D5*	Ø1.5mm	Ø1.5mm
6312-2*	Ø2mm	7792.00
6312-2D5*	Ø2.5mm	6960.00
6312-3*	Ø3mm	3032.00
6312-3D5*	Ø3.5mm	9729.00
6312-4*	Ø4mm	2203.00
6312-4D5*	Ø4.5mm	6654.00
6312-5*	Ø5mm	2174.00
6312-5D5*	Ø5.5mm	6646.00
6312-6*	Ø6mm	2321.00
6312-6D5*	Ø6.5mm	7384.00
6312-7*	Ø7mm	2321.00
6312-7D5*	Ø7.5mm	7394.00
6312-8*	Ø8mm	2321.00
6312-8D5*	Ø8.5mm	7399.00
6312-9*	Ø9mm	2321.00
6312-9D5*	Ø9.5mm	4573.00
6312-10*	Ø10mm	2321.00
6312-10D5*	Ø10.5mm	7615.00
6312-11*	Ø11mm	2509.00
6312-11D5*	Ø11.5mm	7618.00
6312-12*	Ø12mm	2510.00
6312-12D5*	Ø12.5mm	7618.00
6312-13*	Ø13mm	2508.00
6312-13D5*	Ø13.5mm	7618.00
6312-14*	Ø14mm	2521.00
6312-14D5*	Ø14.5mm	7470.00

型號	直徑	金額
6312-15*	Ø15mm	2521.00
6312-15D5*	Ø15.5mm	7475.00
6312-16*	Ø16mm	2681.00
6312-16D5*	Ø16.5mm	7624.00
6312-17*	Ø17mm	2684.00
6312-17D5*	Ø17.5mm	7623.00
6312-18*	Ø18mm	2684.00
6312-18D5*	Ø18.5mm	7474.00
6312-19*	Ø19mm	2691.00
6312-19D5*	Ø19.5mm	7474.00
6312-20*	Ø20mm	2693.00
6312-20D5*	Ø20.5mm	8078.00
6312-21*	Ø21mm	2854.00
6312-21D5*	Ø21.5mm	7920.00
6312-22*	Ø22mm	2861.00
6312-22D5*	Ø22.5mm	7920.00
6312-23*	Ø23mm	2853.00
6312-23D5*	Ø23.5mm	7919.00
6312-24*	Ø24mm	2854.00
6312-24D5*	Ø24.5mm	8077.00
6312-25*	Ø25mm	2875.00
6312-25D5*	Ø25.5mm	8081.00
6312-26*	Ø26mm	3042.00
6312-26D5*	Ø26.5mm	8089.00
6312-27*	Ø27mm	3041.00
6312-27D5*	Ø27.5mm	7928.00
6312-28*	Ø28mm	3039.00

型號	直徑	金額
6312-28D5*	Ø28.5mm	7930.00
6312-29*	Ø29mm	3038.00
6312-29D5*	Ø29.5mm	7929.00
6312-30*	Ø30mm	3039.00
6312-31*	Ø31mm	3237.00
6312-32*	Ø32mm	3239.00
6312-33*	Ø33mm	3242.00
6312-34*	Ø34mm	3242.00
6312-35*	Ø35mm	3307.00
6312-36*	Ø36mm	3467.00
6312-37*	Ø37mm	3472.00
6312-38*	Ø38mm	3470.00
6312-39*	Ø39mm	3473.00
6312-40*	Ø40mm	3479.00
6312-41*	Ø41mm	3667.00
6312-42*	Ø42mm	3665.00
6312-43*	Ø43mm	3666.00
6312-44*	Ø44mm	3664.00
6312-45*	Ø45mm	3672.00
6312-46*	Ø46mm	3867.00
6312-47*	Ø47mm	3862.00
6312-48*	Ø48mm	3859.00
6312-49*	Ø49mm	3986.00
6312-50*	Ø50mm	3907.00
6312-55*	Ø55mm	4494.00
6312-60*	Ø60mm	4656.00
6312-62*	Ø62mm	4845.00

型號	直徑	金額
6312-65*	Ø65mm	4835.00
6312-70*	Ø70mm	5028.00
6312-75*	Ø75mm	5240.00
6312-80*	Ø80mm	5572.00
6312-85*	Ø85mm	6121.00
6312-87*	Ø87mm	6813.00
6312-90*	Ø90mm	6801.00
6312-95*	Ø95mm	7684.00
6312-100*	Ø100mm	9369.00
6312-112D5*	Ø112.5mm	21608.00
6312-125*	Ø125mm	16750.00
6312-137D5*	Ø137.5mm	27720.00
6312-150*	Ø150mm	23121.00
6312-162D5*	Ø162.5mm	45072.00
6312-175*	Ø175mm	33998.00
6312-187D5*	Ø187.5mm	54383.00
6312-200*	Ø200mm	40028.00
6312-212D5*	Ø212.5mm	74067.00
6312-225*	Ø225mm	48269.00
6312-237D5*	Ø237.5mm	99659.00
6312-250*	Ø250mm	57690.00
6312-262D5*	Ø262.5mm	122584.00
6312-275*	Ø275mm	68869.00
6312-287D5*	Ø287.5mm	157005.00
6312-300*	Ø300mm	78858.00
6312-350*	Ø350mm	142834.00
6312-400*	Ø400mm	195600.00

\*帶生產廠檢驗證書



光滑極限栓規

定制栓規  
可定制其它等級,如H8, H9, G7  
可定制直徑,如19.003mm  
可定制長度,如70mm



4124-12

- 包含通規和止規
- 等級H7
- 硬度HRC60±2
- 符合DIN7150-2



H7尺寸公差

直徑(mm)	類型	Ød1 通規尺寸公差 (mm)	Ød2 止規尺寸公差 (mm)	L1	L2	L	S1, S2
≥2, ≤3	A	+0.0010/+0.0022	+0.0088/+0.010	6.5	4.5	62	-
>3, ≤6	A	+0.0013/+0.0027	+0.0106/+0.012	8	6	74	-
>6, ≤10	A	+0.0015/+0.0033	+0.0132/+0.015	10	7	87	-
>10, ≤14	A	+0.0018/+0.0038	+0.0160/+0.018	12	8	99	-
>14, ≤18	A	+0.0018/+0.0038	+0.0160/+0.018	14	10	114	-
>18, ≤24	A	+0.0023/+0.0046	+0.0186/+0.021	16	12	132	-
>24, ≤30	A	+0.0023/+0.0046	+0.0186/+0.021	18	14	136	-
>30, ≤40	A	+0.0023/+0.0055	+0.0220/+0.025	20	15	155	-
>40, ≤50	A	+0.0023/+0.0055	+0.0220/+0.025	25	18	169	-
>50, ≤65	B	+0.0028/+0.0064	+0.0264/+0.030	30	18	-	164, 152
>65, ≤80	B	+0.0028/+0.0064	+0.0264/+0.030	35	25	-	169, 159
>80, ≤100	B	+0.0032/+0.0075	+0.0308/+0.035	35	25	-	169, 159

(mm)				(mm)				(mm)				(mm)			
型號	直徑Ød	類型	金額	型號	直徑Ød	類型	金額	型號	直徑Ød	類型	金額	型號	直徑Ød	類型	金額
4124-2	2	A	1032.00	4124-17	17	A	1133.00	4124-32	32	A	1933.00	4124-47	47	A	3161.00
4124-3	3	A	1032.00	4124-18	18	A	1162.00	4124-33	33	A	1918.00	4124-48	48	A	3164.00
4124-4	4	A	1078.00	4124-19	19	A	1360.00	4124-34	34	A	1921.00	4124-49	49	A	3163.00
4124-5	5	A	1078.00	4124-20	20	A	1397.00	4124-35	35	A	1950.00	4124-50	50	A	3183.00
4124-6	6	A	1215.00	4124-21	21	A	1383.00	4124-36	36	A	1960.00	4124-52	52	B	4616.00
4124-7	7	A	930.00	4124-22	22	A	1390.00	4124-37	37	A	1963.00	4124-55	55	B	4613.00
4124-8	8	A	938.00	4124-23	23	A	1386.00	4124-38	38	A	1965.00	4124-60	60	B	4646.00
4124-9	9	A	930.00	4124-24	24	A	1400.00	4124-39	39	A	2573.00	4124-65	65	B	5952.00
4124-10	10	A	963.00	4124-25	25	A	1668.00	4124-40	40	A	2603.00	4124-70	70	B	6367.00
4124-11	11	A	957.00	4124-26	26	A	1670.00	4124-41	41	A	2583.00	4124-75	75	B	7189.00
4124-12	12	A	965.00	4124-27	27	A	1683.00	4124-42	42	A	2605.00	4124-80	80	B	7097.00
4124-13	13	A	958.00	4124-28	28	A	1672.00	4124-43	43	A	2586.00	4124-85	85	B	7927.00
4124-14	14	A	965.00	4124-29	29	A	1673.00	4124-44	44	A	2595.00	4124-90	90	B	8069.00
4124-15	15	A	1142.00	4124-30	30	A	1685.00	4124-45	45	A	3139.00	4124-95	95	B	8622.00
4124-16	16	A	1133.00	4124-31	31	A	1917.00	4124-46	46	A	3160.00	4124-100	100	B	8655.00



螺紋深度規



- 包含通規和止規
- 檢查螺紋孔通止同時測量螺紋孔深度
- 通端頂部磨損后可調換
- 可選附件: 對零塊(型號4668-SETTER), 拆卸工具(型號4668-TOOL)



4666-6



公制螺紋(解析度:0.5mm,精度:±0.25mm)

型號	螺紋規格	測定深度	金額
4666-2*	M2x0.4-6H	0-8mm	46496.00
4666-2D5*	M2.5x0.45-6H	0-10mm	44898.00
4666-3*	M3x0.5-6H	0-12mm	43736.00
4666-4*	M4x0.7-6H	0-16mm	43010.00
4666-5*	M5x0.8-6H	0-20mm	41992.00
4666-6*	M6x1-6H	0-24mm	39087.00
4666-7*	M7x1-6H	0-28mm	51876.00
4666-8*	M8x1.25-6H	0-32mm	46499.00
4666-10*	M10x1.5-6H	0-40mm	47082.00
4666-12*	M12x1.75-6H	0-48mm	50280.00
4666-14*	M14x2-6H	0-56mm	50717.00
4666-16*	M16x2-6H	0-64mm	61037.00
4666-18*	M18x2.5-6H	0-72mm	61909.00

公制螺紋(解析度:0.1mm,精度:±0.1mm)

型號	螺紋規格	測定深度	金額
4666-2A*	M2x0.4-6H	0-8mm	67438.00
4666-2D5A*	M2.5x0.45-6H	0-10mm	63950.00
4666-3A*	M3x0.5-6H	0-12mm	62788.00
4666-4A*	M4x0.7-6H	0-16mm	61480.00
4666-5A*	M5x0.8-6H	0-20mm	59882.00
4666-6A*	M6x1-6H	0-24mm	57847.00
4666-7A*	M7x1-6H	0-28mm	69621.00
4666-8A*	M8x1.25-6H	0-32mm	64680.00
4666-10A*	M10x1.5-6H	0-40mm	65261.00
4666-12A*	M12x1.75-6H	0-48mm	69913.00
4666-14A*	M14x2-6H	0-56mm	70350.00
4666-16A*	M16x2-6H	0-64mm	82996.00
4666-18A*	M18x2.5-6H	0-72mm	83869.00

\*帶生產廠檢驗證書



## 陶瓷量球



4190-40D000

- 氧化鋁材質，高強度，高硬度，耐磨性好，耐腐蝕性好，絕緣性好，防靜電，防磁
- 鏡面，無孔
- 帶生產廠檢驗證書

### 單支

型號	直徑	精度	圓度	金額
4190-1D000	1.000mm	±2μm	0.5μm	126.00
4190-1D200	1.200mm	±2μm	0.5μm	126.00
4190-1D300	1.300mm	±2μm	0.5μm	126.00
4190-1D340	1.340mm	±2μm	0.5μm	129.00
4190-1D500	1.500mm	±2μm	0.5μm	126.00
4190-1D588	1.588mm(1/16")	±2μm	0.5μm	125.00
4190-1D750	1.750mm	±2μm	0.5μm	125.00
4190-2D000	2.000mm	±2μm	0.5μm	125.00
4190-2D381	2.381mm(3/32")	±2μm	0.5μm	125.00
4190-2D500	2.500mm	±2μm	0.5μm	129.00
4190-2D778	2.778mm(7/64")	±2μm	0.5μm	135.00
4190-3D000	3.000mm	±2μm	0.5μm	136.00
4190-3D175	3.175mm(1/8")	±2μm	0.5μm	139.00
4190-3D500	3.500mm	±2μm	0.5μm	148.00
4190-3D969	3.969mm(5/32")	±2μm	0.5μm	154.00
4190-4D000	4.000mm	±2μm	0.5μm	154.00
4190-4D500	4.500mm	±2μm	0.5μm	160.00
4190-4D763	4.763mm(3/16")	±2μm	0.5μm	168.00
4190-5D000	5.000mm	±2μm	0.5μm	175.00
4190-5D556	5.556mm(7/32")	±2μm	0.5μm	177.00
4190-5D953	5.953mm(15/64")	±2μm	0.5μm	179.00
4190-6D000	6.000mm	±2μm	0.5μm	184.00
4190-6D350	6.350mm(1/4")	±2μm	0.5μm	192.00
4190-6D500	6.500mm	±2μm	0.5μm	190.00
4190-6D747	6.747mm(17/64")	±2μm	0.5μm	193.00
4190-7D000	7.000mm	±2μm	0.5μm	208.00
4190-7D144	7.144mm(9/32")	±2μm	0.5μm	216.00
4190-7D500	7.500mm	±2μm	0.5μm	227.00
4190-7D938	7.938mm(5/16")	±2μm	0.5μm	235.00
4190-8D000	8.000mm	±2μm	0.5μm	242.00
4190-8D731	8.731mm(11/32")	±2μm	0.5μm	257.00

### 單支

型號	直徑	精度	圓度	金額
4190-9D525	9.525mm(3/8")	±2μm	0.5μm	262.00
4190-10D000	10.000mm	±2μm	0.5μm	274.00
4190-10D318	10.318mm(13/32")	±2μm	0.5μm	289.00
4190-11D000	11.000mm	±2μm	0.5μm	292.00
4190-11D113	11.113mm(7/16")	±2μm	0.5μm	299.00
4190-11D509	11.509mm(29/64")	±2μm	0.5μm	312.00
4190-11D906	11.906mm(15/32")	±2μm	0.5μm	324.00
4190-12D000	12.000mm	±2μm	0.5μm	333.00
4190-12D303	12.303mm(31/64")	±2μm	0.5μm	350.00
4190-12D700	12.700mm(1/2")	±2μm	0.5μm	359.00
4190-13D000	13.000mm	±2μm	0.6μm	381.00
4190-13D494	13.494mm(17/32")	±2μm	0.6μm	417.00
4190-14D000	14.000mm	±2μm	0.6μm	466.00
4190-14D288	14.288mm(9/16")	±2μm	0.6μm	487.00
4190-15D000	15.000mm	±2μm	0.6μm	556.00
4190-15D081	15.081mm(19/32")	±2.5μm	0.6μm	564.00
4190-15D875	15.875mm(5/8")	±2.5μm	0.6μm	651.00
4190-16D000	16.000mm	±2.5μm	0.6μm	704.00
4190-16D669	16.669mm(21/32")	±2.5μm	0.6μm	783.00
4190-17D462	17.462mm(11/16")	±2.5μm	0.6μm	886.00
4190-18D000	18.000mm	±2.5μm	0.6μm	965.00
4190-18D256	18.256mm(23/32")	±2.5μm	0.6μm	999.00
4190-19D050	19.050mm(3/4")	±2.5μm	0.6μm	1126.00
4190-19D844	19.844mm(25/32")	±2.5μm	0.6μm	1261.00
4190-20D000	20.000mm	±2.5μm	0.6μm	1289.00
4190-22D000	22.000mm	±2.5μm	1μm	1682.00
4190-22D225	22.225mm(7/8")	±2.5μm	1μm	1732.00
4190-23D812	23.812mm(15/16")	±2.5μm	1μm	2111.00
4190-25D000	25.000mm	±2.5μm	1μm	2428.00
4190-40D000	40.000mm	±2.5μm	1.5μm	7866.00

### 套裝(25對)

型號	包含的陶瓷量球(每個尺寸一對)	金額
4190-S25	1mm, 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm, 6mm, 6.5mm, 7mm, 7.5mm, 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 18mm, 20mm, 22mm, 25mm	16846.00

公制螺紋栓規

警告: 使用壽命2000次



4130-10

- 符合ISO 1502
- 包含通規和止規
- 帶生產廠檢驗證書

\*型號說明舉例:

公稱直徑	螺距	等級6H
M0.8	0.2	-D8

型號為4130-D8

單支

規格(mm)		型號(4130)					
公稱直徑	螺距	等級6H	金額	等級6G	金額	等級4H	金額
M0.8	0.2	-D8	2112.00	-D8G	2113.00	-	-
M0.9	0.225	-D9	2114.00	-	-	-	-
M1	0.25	-1	1693.00	-	-	-1H	2117.00
M1.2	0.25	-1D2	1509.00	-1D2G	1624.00	-1D2H	1889.00
M1.4	0.3	-1D4	1511.00	-	-	-1D4H	1891.00
M1.6	0.35	-1D6	1513.00	-1D6G	1625.00	-1D6H	1893.00
M1.7	0.35	-1D7	1515.00	-	-	-	-
M1.8	0.35	-1D8	1516.00	-1D8G	1625.00	-1D8H	1896.00
M2	0.4	-2	1456.00	-2G	1598.00	-2H	2054.00
M2.2	0.45	-2D2	1557.00	-2D2G	1598.00	-2D2H	2056.00
M2.3	0.4	-2D3	1477.00	-2D3G	1598.00	-	-
M2.5	0.45	-2D5	1431.00	-2D5G	1570.00	-2D5H	1999.00
M2.6	0.45	-2D6	1451.00	-2D6G	1570.00	-	-
M3	0.5	-3	1430.00	-3G	1569.00	-3H	1999.00
M3.5	0.6	-3D5	1534.00	-3D5G	1570.00	-3D5H	1999.00
M4	0.7	-4	1045.00	-4G	1168.00	-4H	1423.00
M4.5	0.75	-4D5	1079.00	-4D5G	1168.00	-4D5H	1423.00
M5	0.8	-5	1045.00	-5G	1168.00	-5H	1425.00
M6	1	-6	1046.00	-6G	1168.00	-6H	1655.00
M7	1	-7	1046.00	-7G	1399.00	-7H	1944.00
M8	1.25	-8	1046.00	-8G	1169.00	-8H	1656.00
M9	1.25	-9	1047.00	-9G	1399.00	-9H	1944.00
M10	1.5	-10	1244.00	-10G	1343.00	-10H	1656.00
M11	1.5	-11	1252.00	-11G	1603.00	-11H	1946.00
M12	1.75	-12	1419.00	-12G	1349.00	-12H	1692.00
M14	2	-14	1487.00	-14G	1375.00	-14H	1747.00
M16	2	-16	1498.00	-16G	1378.00	-16H	1764.00
M18	2.5	-18	1607.00	-18G	1564.00	-18H	1882.00
M20	2.5	-20	1642.00	-20G	1613.00	-20H	1963.00
M22	2.5	-22	1678.00	-22G	1649.00	-	-
M24	3	-24	1952.00	-24G	2141.00	-	-
M27	3	-27	1956.00	-27G	2146.00	-	-
M30	3.5	-30	2265.00	-30G	2585.00	-	-
M33	3.5	-33	2354.00	-33G	2600.00	-	-
M36	4	-36	3158.00	-36G	3798.00	-36H	4287.00
M39	4	-39	3164.00	-39G	3807.00	-	-
M42	4.5	-42	4251.00	-	-	-	-
M45	4.5	-45	4299.00	-	-	-	-
M48	5	-48	4591.00	-	-	-	-
M52	5	-52	5271.00	-52G	6706.00	-	-
M56	5.5	-56	5705.00	-	-	-	-
M60	5.5	-60	6077.00	-	-	-	-

套裝(6H)

型號	包含的栓規(mm)	金額
4130-S7	M3×0.5(4130-3), M4×0.7(4130-4), M5×0.8(4130-5), M6×1(4130-6), M8×1.25(4130-8), M10×1.5(4130-10), M12×1.75(4130-12)	8279.00

公制細牙螺紋栓規

警告: 使用壽命2000次



4139-20G

\*型號說明舉例:

公稱直徑	螺距	等級6H
M1	0.2	-1A

型號為4139-1A

- 符合ISO 1502
- 包含通規和止規
- 帶生產廠檢驗證書

規格(mm)		型號(4139)					
公稱直徑	螺距	等級6H	金額	等級6G	金額	等級4H	金額
M1	0.2	-1A	1823.00	-	-	-	-
M1.2	0.2	-1D2A	1691.00	-	-	-	-
M1.4	0.2	-1D4A	1693.00	-	-	-	-
M1.6	0.2	-1D6A	1695.00	-1D6AG	1830.00	-	-
M1.8	0.2	-1D8A	1696.00	-	-	-	-
M2	0.2	-2A	2265.00	-2AG	2265.00	-	-
	0.25	-2B	1790.00	-2BG	2124.00	-2BH	2814.00
M2.5	0.2	-2D5A	2267.00	-	-	-	-
	0.25	-2D5B	2126.00	-	-	-2D5BH	2817.00
	0.35	-2D5D	1657.00	-	-	-	-
M3	0.25	-3B	2271.00	-	-	-3BH	2745.00
	0.35	-3D	1655.00	-	-	-3DH	2688.00
M3.5	0.25	-3D5B	2258.00	-	-	-	-
	0.35	-3D5D	1514.00	-	-	-3D5DH	2689.00
	0.5	-3D5G	1682.00	-	-	-	-
M4	0.25	-4B	2258.00	-	-	-	-
	0.35	-4D	2086.00	-	-	-4DH	2690.00
	0.5	-4G	1271.00	-4GG	1252.00	-4GH	1683.00
M4.5	0.35	-4D5D	1827.00	-	-	-	-
	0.5	-4D5G	1159.00	-4D5GG	1252.00	-	-
M5	0.25	-5B	2258.00	-	-	-	-
	0.35	-5D	2086.00	-	-	-	-
	0.5	-5G	1360.00	-5GG	1253.00	-5GH	1713.00
M5.5	0.5	-5D5G	1638.00	-	-	-	-
M6	0.25	-6B	2259.00	-6BG	2260.00	-	-
	0.35	-6D	2087.00	-	-	-	-
	0.5	-6G	1478.00	-6GG	1512.00	-6GH	1858.00
M6.5	0.5	-6D5G	1943.00	-	-	-	-
M7	0.35	-7D	2259.00	-	-	-	-
	0.5	-7G	1479.00	-7GG	1773.00	-	-
M7.5	0.5	-7D5G	1799.00	-	-	-	-
M8	0.35	-8D	2692.00	-	-	-	-
	0.5	-8G	1502.00	-8GG	1514.00	-8GH	1946.00
	1	-8P	1404.00	-8PG	1399.00	-8PH	1774.00
M8.5	0.5	-8D5G	2060.00	-	-	-	-
M9	0.35	-9D	2692.00	-	-	-	-
	0.5	-9G	1499.00	-9GG	1746.00	-	-
	0.75	-9L	1479.00	-9LG	1746.00	-9LH	2350.00
	1	-9P	1406.00	-9PG	1630.00	-9PH	2091.00
M10	0.35	-10D	2692.00	-	-	-	-
	0.5	-10G	1703.00	-10GG	1631.00	-10GH	2120.00

規格(mm)		型號(4139)					
公稱直徑	螺距	等級6H	金額	等級6G	金額	等級4H	金額
M10	1	-10P	1494.00	-10PG	1344.00	-10PH	1775.00
	1.25	-10Q	1494.00	-10QG	1344.00	-10QH	1775.00
M11	0.5	-11G	1704.00	-11GG	2122.00	-11GH	2525.00
	1	-11P	1497.00	-11PG	1748.00	-11PH	2093.00
M12	0.5	-12G	1825.00	-12GG	1806.00	-12GH	2151.00
	1	-12P	1669.00	-12PG	1547.00	-12PH	1863.00
	1.25	-12Q	1579.00	-12QG	1376.00	-12QH	1721.00
	1.5	-12R	1579.00	-12RG	1376.00	-12RH	1750.00
M13	0.5	-13G	2149.00	-	-	-13GH	2757.00
	1	-13P	1830.00	-13PG	1980.00	-13PH	2354.00
	1.5	-13R	1617.00	-	-	-	-
M14	0.5	-14G	1835.00	-14GG	1807.00	-14GH	2152.00
	1	-14P	1669.00	-14PG	1549.00	-14PH	1866.00
	1.25	-14Q	1579.00	-14QG	1434.00	-14QH	1751.00
	1.5	-14R	1578.00	-14RG	1435.00	-14RH	1751.00
M15	0.5	-15G	1674.00	-15GG	1813.00	-	-
	1	-15P	1435.00	-15PG	1554.00	-15PH	1842.00
	1.5	-15R	1435.00	-15RG	1554.00	-15RH	1842.00
M16	0.5	-16G	1832.00	-16GG	1811.00	-	-
	1	-16P	1670.00	-16PG	1562.00	-16PH	1870.00
	1.25	-16Q	1447.00	-	-	-	-
	1.5	-16R	1582.00	-16RG	1452.00	-16RH	1756.00
M17	0.5	-17G	2310.00	-17GG	2314.00	-	-
	1	-17P	1849.00	-17PG	2001.00	-17PH	2369.00
	1.5	-17R	1717.00	-17RG	1858.00	-17RH	2198.00
M18	0.5	-18G	1929.00	-18GG	1888.00	-	-
	1	-18P	1671.00	-18PG	1575.00	-18PH	1885.00
	1.25	-18Q	1569.00	-	-	-	-
	1.5	-18R	1671.00	-18RG	1563.00	-18RH	1890.00
	2	-18T	1635.00	-18TG	1535.00	-18TH	1835.00
M19	0.5	-19G	2477.00	-	-	-	-
	1	-19P	2048.00	-19PG	2038.00	-19PH	2411.00
	1.5	-19R	2073.00	-	-	-19RH	2411.00
M20	0.5	-20G	1968.00	-20GG	1923.00	-20GH	2296.00
	1	-20P	1721.00	-20PG	1612.00	-20PH	1927.00
	1.25	-20Q	1650.00	-	-	-	-
	1.5	-20R	1730.00	-20RG	1645.00	-20RH	1924.00
	2	-20T	1684.00	-20TG	1617.00	-20TH	1868.00
M21	0.5	-21G	2509.00	-	-	-	-
	1	-21P	2080.00	-21PG	2080.00	-21PH	2448.00
	1.5	-21R	2082.00	-	-	-	-

待續

規格(mm)		型號(4139)*					
公稱直徑	螺距	等級6H	金額	等級6G	金額	等級4H	金額
M22	0.5	-22G	2022.00	-	-	-	-
	1	-22P	1765.00	-22PG	1656.00	-22PH	1964.00
		-22Q	1654.00	-	-	-	-
	1.25	-22R	1767.00	-22RG	1660.00	-22RH	1970.00
	2	-22T	1728.00	-22TG	1617.00	-22TH	1914.00
M23	0.5	-23G	3495.00	-	-	-	-
	1	-23P	2491.00	-23PG	2478.00	-23PH	2952.00
M24	0.5	-24G	2547.00	-	-	-	-
	1	-24P	1878.00	-24PG	1962.00	-24PH	2307.00
		-24Q	1962.00	-	-	-	-
	1.25	-24R	1887.00	-24RG	1964.00	-24RH	2307.00
	2	-24T	1879.00	-24TG	1964.00	-24TH	2164.00
M25	0.5	-25G	3229.00	-	-	-	-
	1	-25P	2643.00	-25PG	2857.00	-25PH	3200.00
		-25R	2324.00	-25RG	2511.00	-25RH	2942.00
	2	-25T	2324.00	-25TG	2511.00	-25TH	2943.00
M26	0.5	-26G	3230.00	-	-	-	-
	1	-26P	2645.00	-26PG	2857.00	-26PH	3202.00
		-26R	2326.00	-26RG	2513.00	-26RH	2944.00
	2	-26T	2326.00	-26TG	2513.00	-26TH	2944.00
M27	0.5	-27G	2742.00	-	-	-	-
	1	-27P	1879.00	-27PG	1969.00	-27PH	2314.00
		-27R	1909.00	-27RG	1969.00	-27RH	2314.00
	2	-27T	1911.00	-27TG	1969.00	-27TH	2170.00
M28	0.5	-28G	3575.00	-	-	-	-
	1	-28P	2724.00	-28PG	2943.00	-28PH	3488.00
		-28R	2724.00	-28RG	2943.00	-28RH	3488.00
	2	-28T	2324.00	-28TG	2512.00	-28TH	2971.00
M29	0.5	-29G	3865.00	-	-	-	-
	0.75	-29L	3376.00	-	-	-	-
M30	1	-29P	2945.00	-29PG	2947.00	-29PH	3493.00
		-29Q	2945.00	-	-	-	-
	0.5	-30G	3033.00	-	-	-	-
		-30L	2528.00	-	-	-	-
		-30P	2129.00	-30PG	2316.00	-30PH	2574.00
M31	1.5	-30R	2118.00	-30RG	2315.00	-30RH	2573.00
	2	-30T	1922.00	-30TG	2003.00	-30TH	2233.00
		-30V	2088.00	-	-	-	-
	M32	0.5	-31G	3872.00	-	-	-
0.75		-31L	3384.00	-	-	-	-
		-31P	3590.00	-	-	-	-
1		-32G	3389.00	-	-	-	-
		-32P	2739.00	-32PG	2961.00	-32PH	3506.00
M33	1.5	-32R	2739.00	-32RG	2962.00	-32RH	3506.00
	2	-32T	2340.00	-32TG	2530.00	-32TH	2989.00
		-32V	2340.00	-	-	-	-
	3	-33G	3083.00	-	-	-	-
M34	0.75	-33L	2524.00	-	-	-	-
		-33P	2307.00	-33PG	2371.00	-33PH	2628.00
	1	-33R	2136.00	-33RG	2373.00	-33RH	2630.00
		-33T	1919.00	-33TG	2061.00	-33TH	2290.00
	2	-33V	2085.00	-	-	-	-
M35	0.75	-34L	5208.00	-	-	-	-
	1	-34P	3999.00	-34PG	4309.00	-34PH	5114.00
		-34R	3044.00	-34RG	3275.00	-34RH	3878.00
1.5	-34T	3045.00	-	-	-	-	
	2	-35L	5200.00	-	-	-	-
1	-35P	4309.00	-35PG	4310.00	-35PH	5115.00	

規格(mm)		型號(4139)*					
公稱直徑	螺距	等級6H	金額	等級6G	金額	等級4H	金額
M35	1.5	-35R	3274.00	-35RG	3276.00	-35RH	3878.00
	2	-35T	3275.00	-	-	-	-
M36	0.75	-36L	4062.00	-	-	-	-
	1	-36P	2907.00	-36PG	3374.00	-36PH	4120.00
		-36R	2270.00	-36RG	2570.00	-36RH	2972.00
	2	-36T	2273.00	-36TG	2573.00	-36TH	2975.00
		-36V	2513.00	-	-	-	-
M37	0.75	-37L	5186.00	-	-	-	-
M38	0.75	-38L	5186.00	-	-	-	-
	1	-38P	3977.00	-38PG	4297.00	-38PH	5101.00
		-38R	3020.00	-38RG	3263.00	-38RH	3866.00
	2	-38T	3020.00	-38TG	3263.00	-38TH	3867.00
M39	0.75	-39L	4066.00	-	-	-	-
	1	-39P	3143.00	-	-	-	-
		-39R	2460.00	-	-	-	-
	2	-39T	2276.00	-39TG	2579.00	-39TH	2980.00
M40	3	-39V	2516.00	-	-	-	-
	0.75	-40L	6441.00	-	-	-	-
	1	-40P	5592.00	-40PG	6041.00	-40PH	7162.00
		-40R	4208.00	-40RG	4546.00	-40RH	5380.00
	2	-40T	4208.00	-40TG	4546.00	-40TH	5380.00
M42	3	-40V	4900.00	-	-	-	-
	1	-42P	3846.00	-	-	-	-
		-42R	3036.00	-42RG	3560.00	-	-
	2	-42T	3047.00	-	-	-	-
M45	3	-42V	3415.00	-42VG	4158.00	-	-
	1	-45P	3868.00	-	-	-	-
		-45R	3077.00	-45RG	3564.00	-	-
M48	2	-45T	3086.00	-	-	-	-
	3	-45V	3461.00	-	-	-	-
		-48P	4035.00	-	-	-	-
	1.5	-48R	3414.00	-	-	-	-
M50	2	-48T	3412.00	-	-	-	-
	3	-48V	3840.00	-	-	-	-
		-50PG	6232.00	-	-	-	-
M52	1.5	-50R	5162.00	-	-	-	-
	2	-50T	4902.00	-	-	-	-
M55	1	-52P	4929.00	-	-	-	-
		-52R	4175.00	-	-	-	-
	2	-52T	4175.00	-	-	-	-
		-52V	4627.00	-	-	-	-
M56	3	-52X	4726.00	-	-	-	-
	1.5	-55R	10102.00	-	-	-	-
		-55T	7671.00	-55TG	7678.00	-	-
M58	2	-56P	5388.00	-	-	-	-
	1.5	-56R	5545.00	-	-	-	-
		-56T	4925.00	-	-	-	-
	3	-56V	5019.00	-	-	-	-
M60	4	-56X	5098.00	-	-	-	-
	1.5	-58R	9420.00	-	-	-	-
3		-58V	8962.00	-	-	-	-
M60	1	-60P	5690.00	-	-	-	-
		-60R	5809.00	-	-	-	-
	2	-60T	5479.00	-	-	-	-
		-60V	5497.00	-	-	-	-
4	-60X	5738.00	-	-	-	-	

公制螺紋環規

檢驗證書

警告: 使用壽命2000次

- 符合ISO 1502
- 帶生產廠檢驗證書



4120-16



4120-16N

\*型號說明舉例:

公稱直徑	螺距	等級6g
		GO(通)
M2	0.4	-2

型號為4120-2

單支

規格(mm)		型號(4120)											
公稱直徑	螺距	等級6g				等級6e				等級6h			
		GO(通)	金額	NOGO(止)	金額	GO(通)	金額	NOGO(止)	金額	GO(通)	金額	NOGO(止)	金額
M2	0.4	-2	1911.00	-2N	1911.00	-2E	2270.00	-2EN	2269.00	-2H	2270.00	-2HN	2269.00
M2.2	0.45	-2D2	1777.00	-2D2N	1610.00	-2D2E	2041.00	-2D2EN	1896.00	-2D2H	2041.00	-2D2HN	1896.00
M2.3	0.4	-2D3	2714.00	-2D3N	2713.00	-	-	-	-	-	-	-	-
M2.5	0.45	-2D5	1670.00	-2D5N	1670.00	-2D5E	1867.00	-2D5EN	1867.00	-2D5H	1867.00	-2D5HN	1867.00
M2.6	0.45	-2D6	2235.00	-2D6N	2235.00	-	-	-	-	-	-	-	-
M3	0.5	-3	1611.00	-3N	1611.00	-3E	1896.00	-3EN	1896.00	-3H	1896.00	-3HN	1896.00
M3.5	0.6	-3D5	1611.00	-3D5N	1567.00	-3D5E	1896.00	-3D5EN	1724.00	-3D5H	1896.00	-3D5HN	1724.00
M4	0.7	-4	1611.00	-4N	1558.00	-4E	1896.00	-4EN	1724.00	-4H	1896.00	-4HN	1724.00
M4.5	0.75	-4D5	1968.00	-4D5N	1862.00	-4D5E	2126.00	-4D5EN	2010.00	-4D5H	2126.00	-4D5HN	2010.00
M5	0.8	-5	1611.00	-5N	1558.00	-5E	1896.00	-5EN	1724.00	-5H	1896.00	-5HN	1724.00
M6	1	-6	1437.00	-6N	1291.00	-6E	1612.00	-6EN	1496.00	-6H	1612.00	-6HN	1496.00
M7	1	-7	1443.00	-7N	1302.00	-7E	1640.00	-7EN	1524.00	-7H	1642.00	-7HN	1524.00
M8	1.25	-8	1439.00	-8N	1436.00	-8E	1614.00	-8EN	1610.00	-8H	1614.00	-8HN	1610.00
M9	1.25	-9	1448.00	-9N	1445.00	-9E	1642.00	-9EN	1639.00	-9H	1642.00	-9HN	1639.00
M10	1.5	-10	1690.00	-10N	1405.00	-10E	1902.00	-10EN	1640.00	-10H	1902.00	-10HN	1640.00
M11	1.5	-11	1710.00	-11N	1422.00	-11E	1906.00	-11EN	1642.00	-11H	1906.00	-11HN	1642.00
M12	1.75	-12	1487.00	-12N	1277.00	-12E	1906.00	-12EN	1644.00	-12H	1906.00	-12HN	1644.00
M14	2	-14	1663.00	-14N	1377.00	-14E	1993.00	-14EN	1615.00	-14H	1993.00	-14HN	1615.00
M16	2	-16	1667.00	-16N	1381.00	-16E	2026.00	-16EN	1619.00	-16H	2026.00	-16HN	1619.00
M18	2.5	-18	1900.00	-18N	1533.00	-18E	2357.00	-18EN	1737.00	-18H	2357.00	-18HN	1737.00
M20	2.5	-20	1914.00	-20N	1549.00	-20E	2356.00	-20EN	1734.00	-20H	2356.00	-20HN	1734.00
M22	2.5	-22	1926.00	-22N	1585.00	-22E	2484.00	-22EN	1870.00	-22H	2484.00	-22HN	1870.00
M24	3	-24	2482.00	-24N	1712.00	-24E	3461.00	-24EN	2068.00	-24H	3461.00	-24HN	2068.00
M27	3	-27	2467.00	-27N	1727.00	-27E	3417.00	-27EN	2084.00	-27H	3417.00	-27HN	2084.00
M30	3.5	-30	3390.00	-30N	2088.00	-30E	4950.00	-30EN	2728.00	-30H	4950.00	-30HN	2728.00
M33	3.5	-33	3679.00	-33N	2368.00	-33E	5115.00	-33EN	2877.00	-33H	5115.00	-33HN	2877.00
M36	4	-36	4264.00	-36N	3356.00	-36E	6442.00	-36EN	5075.00	-36H	6442.00	-36HN	5075.00
M39	4	-39	4247.00	-39N	3354.00	-39E	6440.00	-39EN	5072.00	-39H	6440.00	-39HN	5072.00
M42	4.5	-42	5928.00	-42N	4475.00	-	-	-	-	-42H	8371.00	-42HN	5748.00
M45	4.5	-45	5922.00	-45N	4455.00	-	-	-	-	-45H	8461.00	-45HN	5726.00
M48	5	-48	6855.00	-48N	5294.00	-	-	-	-	-48H	9952.00	-48HN	7309.00
M52	5	-52	7932.00	-52N	6087.00	-	-	-	-	-52H	10055.00	-52HN	7463.00
M56	5.5	-56	8751.00	-56N	6918.00	-	-	-	-	-	-	-	-
M60	5.5	-60	9761.00	-60N	7864.00	-	-	-	-	-	-	-	-

套裝(通規, 6g)

型號	包含的環規(mm)	金額
4120-S7	M3×0.5(4120-3), M4×0.7(4120-4), M5×0.8(4120-5), M6×1(4120-6), M8×1.25(4120-8), M10×1.5(4120-10), M12×1.75(4120-12)	10869.00

套裝(止規, 6g)

型號	包含的環規(mm)	金額
4120-S7N	M3×0.5(4120-3N), M4×0.7(4120-4N), M5×0.8(4120-5N), M6×1(4120-6N), M8×1.25(4120-8N), M10×1.5(4120-10N), M12×1.75(4120-12N)	10137.00

公制細牙螺紋環規

警告: 使用壽命2000次



4129-10P



4129-10PN

\* 型號說明舉例:

公稱直徑	螺距	等級6g
		GO(通)
M2.5	0.35	-2D5D

型號為4129-2D5D

檢驗證書

- 符合ISO 1502
- 帶生產廠檢驗證書

規格(mm)		型號(4129)*											
公稱直徑	螺距	等級6g				等級6e				等級6h			
		GO(通)	金額	NOGO(止)	金額	GO(通)	金額	NOGO(止)	金額	GO(通)	金額	NOGO(止)	金額
M3	0.35	-3D	2173.00	-3DN	2011.00	-3DE	2270.00	-3DEN	1982.00	-3DH	-2N	-3DHN	2270.00
M3.5	0.35	-3D5D	2173.00	-3D5DN	2011.00	-	-	-	-	-3D5DH	-2D2N	-3D5DHN	2788.00
		-3D5G	2616.00	-3D5GN	2212.00	-	-	-	-	-	-2D3N	-	-
M4	0.5	-4G	1793.00	-4GN	1566.00	-4GE	2041.00	-4GEN	1724.00	-4GH	-2D5N	-4GHN	2041.00
M4.5	0.5	-4D5G	2161.00	-4D5GN	1834.00	-4D5GE	2443.00	-4D5GEN	2069.00	-	-2D6N	-	-
M5	0.5	-5G	1792.00	-5GN	1477.00	-5GE	2040.00	-5GEN	1579.00	-5GH	-3N	-5GHN	2040.00
M5.5	0.5	-5D5G	2262.00	-5D5GN	1916.00	-5D5GE	2443.00	-	-	-	-3D5N	-	-
M6	0.5	-6G	1830.00	-6GN	1485.00	-6GE	2129.00	-6GEN	1753.00	-6GH	-4N	-6GHN	2129.00
	0.75	-6L	1501.00	-6LN	1404.00	-6LE	1611.00	-6LEN	1495.00	-6LH	-4D5N	-6LHN	1611.00
M6.5	0.5	-6D5G	2762.00	-6D5GN	2072.00	-	-	-	-	-	-5N	-	-
M7	0.5	-7G	1839.00	-7GN	1482.00	-7GE	2186.00	-7GEN	1610.00	-7GH	-6N	-7GHN	2186.00
	0.75	-7L	1510.00	-7LN	1416.00	-7LE	1640.00	-7LEN	1524.00	-7LH	-7N	-7LHN	1640.00
M7.5	0.5	-7D5G	2877.00	-7D5GN	2099.00	-	-	-	-	-	-8N	-	-
M8	0.5	-8G	1834.00	-8GN	1508.00	-8GE	2128.00	-8GEN	1610.00	-8GH	-9N	-8GHN	2128.00
	0.75	-8L	1509.00	-8LN	1413.00	-8LE	1611.00	-8LEN	1495.00	-8LH	-10N	-8LHN	1611.00
	1	-8P	1501.00	-8PN	1404.00	-8PE	1612.00	-8PEN	1495.00	-8PH	-11N	-8PHN	1612.00
M8.5	0.5	-8D5G	2877.00	-8D5GN	2099.00	-	-	-	-	-	-12N	-	-
M9	0.5	-9G	1842.00	-9GN	1508.00	-9GE	2215.00	-9GEN	1638.00	-9GH	-14N	-9GHN	2215.00
	0.75	-9L	1509.00	-9LN	1416.00	-9LE	1640.00	-9LEN	1524.00	-9LH	-	-9LHN	1640.00
	1	-9P	1509.00	-9PN	1416.00	-9PE	1640.00	-9PEN	1524.00	-9PH	-	-9PHN	1640.00
M10	0.5	-10G	1906.00	-10GN	1977.00	-10GE	2448.00	-10GEN	1580.00	-10GH	-	-10GHN	2448.00
	0.75	-10L	1772.00	-10LN	1455.00	-10LE	2128.00	-10LEN	1553.00	-10LH	-	-10LHN	2128.00
	1	-10P	1455.00	-10PN	1307.00	-10PE	1553.00	-10PEN	1322.00	-10PH	-	-10PHN	1553.00
	1.25	-10Q	1530.00	-10QN	1435.00	-10QE	1642.00	-10QEN	1525.00	-10QH	-	-10QHN	1642.00
M11	0.5	-11G	1932.00	-11GN	2048.00	-11GE	2247.00	-11GEN	2447.00	-11GH	-	-11GHN	2247.00
	0.75	-11L	1786.00	-11LN	1474.00	-11LE	1902.00	-11LEN	1469.00	-11LH	-	-11LHN	1902.00
	1	-11P	1484.00	-11PN	1344.00	-11PE	1585.00	-11PEN	1354.00	-11PH	-	-11PHN	1585.00
M12	0.5	-12G	1765.00	-12GN	1817.00	-12GE	2046.00	-12GEN	2015.00	-12GH	-	-12GHN	2046.00
	0.75	-12L	1815.00	-12LN	1799.00	-12LE	2046.00	-12LEN	1874.00	-12LH	-	-12LHN	2050.00
	1	-12P	1610.00	-12PN	1335.00	-12PE	1844.00	-12PEN	1324.00	-12PH	-	-12PHN	1844.00
	1.25	-12Q	1612.00	-12QN	1263.00	-12QE	1847.00	-12QEN	1499.00	-12QH	-	-12QHN	1847.00
	1.5	-12R	1613.00	-12RN	1263.00	-12RE	1848.00	-12REN	1499.00	-12RH	-	-12RHN	1848.00
M13	0.5	-13G	3119.00	-13GN	3117.00	-13GE	3368.00	-13GEN	3367.00	-13GH	-	-13GHN	3368.00
	0.75	-13L	3368.00	-13LN	3051.00	-13LE	3368.00	-13LEN	3051.00	-13LH	-	-13LHN	3368.00
	1	-13P	2587.00	-13PN	2212.00	-13PE	2794.00	-13PEN	2389.00	-13PH	-	-13PHN	2794.00
	1.5	-13R	1734.00	-13RN	1919.00	-13RE	1872.00	-13REN	2073.00	-13RH	-	-13RHN	1872.00
M14	0.5	-14G	2202.00	-14GN	1908.00	-14GE	2593.00	-14GEN	2591.00	-14GH	-	-14GHN	2593.00
	0.75	-14L	2586.00	-14LN	2570.00	-14LE	2593.00	-14LEN	2360.00	-14LH	-	-14LHN	2593.00
	1	-14P	1876.00	-14PN	1615.00	-14PE	2160.00	-14PEN	1843.00	-14PH	-	-14PHN	2160.00
	1.25	-14Q	1501.00	-14QN	1252.00	-14QE	1905.00	-14QEN	1612.00	-14QH	-	-14QHN	1905.00
	1.5	-14R	1620.00	-14RN	1380.00	-14RE	1905.00	-14REN	1614.00	-14RH	-	-14RHN	1905.00
M15	0.5	-15G	3133.00	-15GN	3119.00	-15GE	3383.00	-15GEN	3369.00	-15GH	-	-15GHN	3383.00
	0.75	-15L	3383.00	-15LN	3369.00	-15LE	3383.00	-15LEN	3369.00	-15LH	-	-15LHN	3383.00
	1	-15P	2148.00	-15PN	1815.00	-15PE	2320.00	-15PEN	1960.00	-15PH	-	-15PHN	2320.00
	1.5	-15R	1775.00	-15RN	1495.00	-15RE	1917.00	-15REN	1614.00	-15RH	-	-15RHN	1917.00
M16	0.5	-16G	2204.00	-16GN	1917.00	-16GE	2595.00	-16GEN	2593.00	-16GH	-	-16GHN	2595.00
	0.75	-16L	2547.00	-16LN	2470.00	-16LE	2595.00	-16LEN	2361.00	-16LH	-	-16LHN	2595.00
	1	-16P	1878.00	-16PN	1671.00	-16PE	2162.00	-16PEN	1844.00	-16PH	-	-16PHN	2162.00
	1.25	-16Q	1912.00	-16QN	1616.00	-	-	-	-	-	-	-	-
	1.5	-16R	1619.00	-16RN	1382.00	-16RE	1912.00	-16REN	1616.00	-16RH	-	-16RHN	1912.00
M17	0.5	-17G	3787.00	-17GN	3372.00	-17GE	3787.00	-17GEN	3372.00	-17GH	-	-17GHN	3787.00
	0.75	-17L	3787.00	-17LN	3372.00	-17LE	3787.00	-17LEN	3372.00	-17LH	-	-17LHN	3787.00
	1	-17P	3133.00	-17PN	2404.00	-17PE	3383.00	-17PEN	2596.00	-17PH	-	-17PHN	3383.00
	1.5	-17R	2360.00	-17RN	2003.00	-17RE	2549.00	-17REN	2164.00	-17RH	-	-17RHN	2549.00

待續



接上頁

公制細牙螺紋環規

規格(mm)		型號(4129)											
公稱直徑	螺距	等級6g				等級6e				等級6h			
		GO(通)	金額	NOGO(止)	金額	GO(通)	金額	NOGO(止)	金額	GO(通)	金額	NOGO(止)	金額
M18	0.5	-18G	2396.00	-18GN	1890.00	-	-	-	-	-18GH	2947.00	-18GHN	2592.00
	0.75	-18L	2588.00	-18LN	2526.00	-18LE	2947.00	-18LEN	2361.00	-18LH	2947.00	-18LHN	2361.00
	1	-18P	2185.00	-18PN	1810.00	-18PE	2631.00	-18PEN	2019.00	-18PH	2633.00	-18PHN	2019.00
	1.25	-18Q	2006.00	-18QN	1673.00	-	-	-	-	-18QH	2006.00	-18QHN	1673.00
	1.5	-18R	1804.00	-18RN	1405.00	-18RE	2006.00	-18REN	1673.00	-18RH	2011.00	-18RHN	1679.00
	2	-18T	2040.00	-18TN	1506.00	-18TE	2322.00	-18TEN	1562.00	-18TH	2322.00	-18THN	1562.00
M19	0.5	-19G	3813.00	-19GN	3370.00	-	-	-	-	-19GH	3813.00	-19GHN	3370.00
	0.75	-19L	3813.00	-19LN	3054.00	-19LE	3813.00	-19LEN	3054.00	-19LH	3813.00	-19LHN	3054.00
	1	-19P	3409.00	-19PN	2595.00	-19PE	3409.00	-19PEN	2595.00	-19PH	3409.00	-19PHN	2595.00
	1.5	-19R	2576.00	-19RN	2162.00	-	-	-	-	-	-	-	-
M20	0.5	-20G	2410.00	-20GN	1904.00	-	-	-	-	-20GH	2947.00	-20GHN	2594.00
	0.75	-20L	2602.00	-20LN	2552.00	-20LE	2947.00	-20LEN	2361.00	-20LH	2947.00	-20LHN	2361.00
	1	-20P	2210.00	-20PN	1826.00	-20PE	2631.00	-20PEN	2016.00	-20PH	2631.00	-20PHN	2016.00
	1.25	-20Q	2005.00	-20QN	1673.00	-	-	-	-	-20QH	2005.00	-20QHN	1673.00
	1.5	-20R	1812.00	-20RN	1689.00	-20RE	2005.00	-20REN	1673.00	-20RH	2005.00	-20RHN	1673.00
	2	-20T	2055.00	-20TN	1531.00	-20TE	2320.00	-20TEN	1561.00	-20TH	2320.00	-20THN	1561.00
M21	0.75	-21L	3844.00	-21LN	3842.00	-21LE	3844.00	-21LEN	3842.00	-	-	-	-
	1	-21P	3470.00	-21PN	2721.00	-21PE	3470.00	-21PEN	2721.00	-21PH	3470.00	-21PHN	2721.00
	1.5	-21R	2693.00	-21RN	2432.00	-	-	-	-	-	-	-	-
M22	0.75	-22L	2635.00	-22LN	2570.00	-	-	-	-	-	-	-	-
	1	-22P	2235.00	-22PN	1858.00	-22PE	2694.00	-22PEN	2118.00	-22PH	2694.00	-22PHN	2118.00
	1.25	-22Q	2101.00	-22QN	1887.00	-	-	-	-	-	-	-	-
	1.5	-22R	1837.00	-22RN	1715.00	-22RE	2101.00	-22REN	1887.00	-22RH	2101.00	-22RHN	1887.00
	2	-22T	2075.00	-22TN	1552.00	-22TE	2444.00	-22TEN	1893.00	-22TH	2444.00	-22THN	1893.00
M23	0.75	-23L	3854.00	-23LN	3849.00	-	-	-	-	-	-	-	-
	1	-23P	3481.00	-23PN	2728.00	-23PE	3481.00	-23PEN	2728.00	-23PH	3481.00	-23PHN	2728.00
M24	0.75	-24L	3278.00	-24LN	2579.00	-	-	-	-	-24LH	2983.00	-24LHN	2981.00
	1	-24P	2768.00	-24PN	2285.00	-24PE	2983.00	-24PEN	2463.00	-24PH	2983.00	-24PHN	2463.00
	1.25	-24Q	2435.00	-24QN	2060.00	-24QE	2435.00	-24QEN	2060.00	-	-	-	-
	1.5	-24R	2086.00	-24RN	1821.00	-24RE	2444.00	-24REN	2065.00	-24RH	2444.00	-24RHN	2065.00
	2	-24T	2243.00	-24TN	1720.00	-24TE	2703.00	-24TEN	1892.00	-24TH	2703.00	-24THN	1892.00
M25	0.75	-25L	3864.00	-25LN	3858.00	-	-	-	-	-25LH	3864.00	-25LHN	3858.00
	1	-25P	3045.00	-25PN	2454.00	-25PE	3289.00	-25PEN	2650.00	-25PH	3289.00	-25PHN	2650.00
	1.5	-25R	2645.00	-25RN	2134.00	-25RE	2857.00	-25REN	2305.00	-25RH	2857.00	-25RHN	2305.00
	2	-25T	3471.00	-25TN	2055.00	-25TE	3749.00	-25TEN	2219.00	-25TH	3749.00	-25THN	2219.00
M26	0.75	-26L	3863.00	-26LN	3858.00	-	-	-	-	-26LH	3863.00	-26LHN	3858.00
	1	-26P	3231.00	-26PN	2534.00	-26PE	3490.00	-26PEN	2737.00	-26PH	3490.00	-26PHN	2737.00
	1.5	-26R	2645.00	-26RN	2134.00	-26RE	2856.00	-26REN	2305.00	-26RH	2856.00	-26RHN	2305.00
	2	-26T	3231.00	-26TN	2263.00	-26TE	3490.00	-26TEN	2444.00	-26TH	3490.00	-26THN	2444.00
M27	0.75	-27L	3296.00	-27LN	2584.00	-	-	-	-	-	-	-	-
	1	-27P	2456.00	-27PN	2098.00	-27PE	3000.00	-27PEN	2468.00	-27PH	3000.00	-27PHN	2468.00
	1.5	-27R	2094.00	-27RN	1825.00	-27RE	2453.00	-27REN	2064.00	-27RH	2453.00	-27RHN	2064.00
	2	-27T	2251.00	-27TN	1726.00	-27TE	2711.00	-27TEN	1899.00	-27TH	2711.00	-27THN	1899.00
M28	0.75	-28L	5229.00	-28LN	3926.00	-	-	-	-	-	-	-	-
	1	-28P	4842.00	-28PN	3635.00	-28PE	5229.00	-28PEN	3926.00	-28PH	5229.00	-28PHN	3926.00
	1.5	-28R	4549.00	-28RN	3262.00	-28RE	4913.00	-28REN	3523.00	-28RH	4913.00	-28RHN	3523.00
	2	-28T	3244.00	-28TN	2622.00	-28TE	3504.00	-28TEN	2832.00	-28TH	3504.00	-28THN	2832.00
M29	0.75	-29L	5229.00	-29LN	3926.00	-	-	-	-	-	-	-	-
	1	-29P	5229.00	-29PN	3926.00	-	-	-	-	-	-	-	-
M30	0.75	-30L	3698.00	-30LN	2923.00	-30LE	4021.00	-30LEN	3040.00	-30LH	4021.00	-30LHN	3040.00
	1	-30P	3424.00	-30PN	2708.00	-30PE	4021.00	-30PEN	3041.00	-30PH	4021.00	-30PHN	3041.00
	1.5	-30R	3050.00	-30RN	2447.00	-30RE	3545.00	-30REN	2727.00	-30RH	3545.00	-30RHN	2727.00
	2	-30T	2364.00	-30TN	2104.00	-30TE	2710.00	-30TEN	2186.00	-30TH	2710.00	-30THN	2186.00
M31	0.75	-30V	2477.00	-30VN	1949.00	-	-	-	-	-	-	-	-
	0.75	-31L	5319.00	-31LN	4015.00	-	-	-	-	-	-	-	-
M32	0.75	-32L	5319.00	-32LN	4015.00	-	-	-	-	-	-	-	-
	1	-32P	4925.00	-32PN	3717.00	-32PE	5319.00	-32PEN	4015.00	-32PH	5319.00	-32PHN	4015.00
	1.5	-32R	4632.00	-32RN	3344.00	-32RE	5002.00	-32REN	3612.00	-32RH	5002.00	-32RHN	3612.00
	2	-32T	4632.00	-32TN	2705.00	-32TE	5002.00	-32TEN	2922.00	-32TH	5002.00	-32THN	2922.00

待續

規格(mm)		型號(4129)											
公稱直徑	螺距	等級6g				等級6e				等級6h			
		GO(通)	金額	NOGO(止)	金額	GO(通)	金額	NOGO(止)	金額	GO(通)	金額	NOGO(止)	金額
M33	0.75	-33L	3824.00	-33LN	2987.00	-	-	-	-	-	-	-	-
	1	-33P	3824.00	-33PN	2973.00	-33PE	4129.00	-33PEN	3151.00	-33PH	4129.00	-33PHN	3151.00
	1.5	-33R	3156.00	-33RN	2549.00	-33RE	3650.00	-33REN	2831.00	-33RH	3650.00	-33RHN	2831.00
	2	-33T	2468.00	-33TN	2212.00	-33TE	2814.00	-33TEN	2288.00	-33TH	2814.00	-33THN	2288.00
M34	3	-33V	2599.00	-33VN	2114.00	-	-	-	-	-	-	-	
	1	-34P	4940.00	-34PN	3729.00	-34PE	5335.00	-34PEN	4027.00	-34PH	5335.00	-34PHN	4027.00
	1.5	-34R	4647.00	-34RN	3356.00	-34RE	5019.00	-34REN	3624.00	-34RH	5019.00	-34RHN	3624.00
M35	2	-34T	4647.00	-34TN	2717.00	-	-	-	-	-	-	-	
	1	-35P	7107.00	-35PN	5374.00	-35PE	7107.00	-35PEN	5374.00	-35PH	7107.00	-35PHN	5374.00
	1.5	-35R	5898.00	-35RN	4453.00	-35RE	5898.00	-35REN	4453.00	-35RH	5898.00	-35RHN	4453.00
M36	2	-35T	4949.00	-35TN	4166.00	-	-	-	-	-	-	-	
	1	-36P	3953.00	-36PN	3156.00	-36PE	5510.00	-36PEN	4179.00	-36PH	5510.00	-36PHN	4179.00
	1.5	-36R	3658.00	-36RN	2962.00	-36RE	5085.00	-36REN	3778.00	-36RH	5085.00	-36RHN	3778.00
	2	-36T	2962.00	-36TN	2560.00	-36TE	3849.00	-36TEN	3236.00	-36TH	3849.00	-36THN	3236.00
M38	3	-36V	2977.00	-36VN	2603.00	-	-	-	-	-36VH	3865.00	-36VHN	3795.00
	1	-38P	6572.00	-38PN	4967.00	-38PE	7098.00	-38PEN	5364.00	-38PH	7098.00	-38PHN	5364.00
	1.5	-38R	5453.00	-38RN	4114.00	-38RE	5889.00	-38REN	4443.00	-38RH	5889.00	-38RHN	4443.00
M39	2	-38T	4574.00	-38TN	3848.00	-38TE	4940.00	-38TEN	4156.00	-38TH	4940.00	-38THN	4156.00
	1	-39P	4285.00	-39PN	3391.00	-	-	-	-	-	-	-	
	1.5	-39R	3656.00	-39RN	2946.00	-39RE	5083.00	-39REN	3778.00	-39RH	5083.00	-39RHN	3778.00
	2	-39T	2960.00	-39TN	2558.00	-39TE	3847.00	-39TEN	3234.00	-39TH	3847.00	-39THN	3234.00
M40	3	-39V	2974.00	-39VN	2613.00	-	-	-	-	-	-	-	
	1.5	-40R	7638.00	-40RN	6081.00	-40RE	8249.00	-40REN	6568.00	-40RH	8249.00	-40RHN	6568.00
	2	-40T	7318.00	-40TN	4962.00	-40TE	7903.00	-40TEN	5359.00	-40TH	7903.00	-40THN	5359.00
M42	3	-40V	6092.00	-40VN	4589.00	-	-	-	-	-	-	-	
	1.5	-42R	4818.00	-42RN	4099.00	-42RE	7115.00	-42REN	5686.00	-42RH	7115.00	-42RHN	5686.00
	2	-42T	4617.00	-42TN	3429.00	-42TE	6770.00	-42TEN	4629.00	-42TH	6770.00	-42THN	4629.00
M45	3	-42V	4381.00	-42VN	3242.00	-	-	-	-	-	-	-	
	1.5	-45R	4816.00	-45RN	4098.00	-45RE	7220.00	-45REN	5685.00	-45RH	7220.00	-45RHN	5685.00
	2	-45T	4615.00	-45TN	3428.00	-45TE	6876.00	-45TEN	4627.00	-45TH	6876.00	-45THN	4627.00
M48	3	-45V	4424.00	-45VN	3241.00	-45VE	6056.00	-	-	-	-	-	
	1.5	-48R	5033.00	-48RN	4325.00	-48RE	7563.00	-48REN	6029.00	-48RH	7563.00	-48RHN	6029.00
	2	-48T	4877.00	-48TN	3973.00	-48TE	7286.00	-48TEN	5292.00	-48TH	7286.00	-48THN	5292.00
M50	3	-48V	4279.00	-48VN	3460.00	-	-	-	-	-48VH	6175.00	-48VHN	4642.00
	1.5	-50R	8323.00	-50RN	6506.00	-50RE	8989.00	-50REN	7027.00	-50RH	8989.00	-50RHN	7027.00
	2	-50T	7817.00	-50TN	5894.00	-50TE	8442.00	-50TEN	6366.00	-50TH	8442.00	-50THN	6366.00
M52	3	-50V	6751.00	-50VN	5148.00	-	-	-	-	-	-	-	
	1.5	-52R	5839.00	-52RN	4993.00	-52RE	7615.00	-52REN	6188.00	-52RH	7615.00	-52RHN	6188.00
	2	-52T	5635.00	-52TN	4512.00	-52TE	7269.00	-52TEN	5411.00	-52TH	7269.00	-52THN	5411.00
	3	-52V	5051.00	-52VN	4180.00	-	-	-	-	-52VH	6236.00	-52VHN	4818.00
M55	4	-52X	5885.00	-52XN	4967.00	-	-	-	-	-	-	-	
	1.5	-55R	9396.00	-55RN	8027.00	-55RE	9396.00	-55REN	8027.00	-55RH	9396.00	-55RHN	8027.00
	2	-55T	8964.00	-55TN	6732.00	-55TE	8964.00	-55TEN	6732.00	-55TH	8964.00	-55THN	6732.00
	3	-55V	8418.00	-55VN	6330.00	-	-	-	-	-	-	-	
M56	4	-55X	9597.00	-55XN	8143.00	-	-	-	-	-	-	-	
	1.5	-56R	6070.00	-56RN	5604.00	-56RE	8046.00	-56REN	6912.00	-56RH	8046.00	-56RHN	6912.00
	2	-56T	5865.00	-56TN	4749.00	-56TE	7665.00	-56TEN	5835.00	-56TH	7665.00	-56THN	5835.00
	3	-56V	5679.00	-56VN	4544.00	-	-	-	-	-56VH	7295.00	-56VHN	5717.00
M58	4	-56X	6381.00	-56XN	5705.00	-	-	-	-	-	-	-	
	1.5	-58R	11328.00	-58RN	9111.00	-58RE	11328.00	-58REN	9111.00	-58RH	11328.00	-58RHN	9111.00
	2	-58T	9602.00	-58TN	7846.00	-58TE	9602.00	-58TEN	7846.00	-58TH	9602.00	-58THN	7846.00
	3	-58V	10206.00	-58VN	7328.00	-	-	-	-	-	-	-	
M60	4	-58X	11472.00	-58XN	9714.00	-	-	-	-	-	-	-	
	1.5	-60R	7094.00	-60RN	6082.00	-60RE	9742.00	-60REN	7881.00	-60RH	9742.00	-60RHN	7881.00
	2	-60T	6201.00	-60TN	5507.00	-60TE	8357.00	-60TEN	6789.00	-60TH	8357.00	-60THN	6789.00
	3	-60V	6449.00	-60VN	5034.00	-	-	-	-	-	-	-	
M60	4	-60X	7520.00	-60XN	6374.00	-	-	-	-	-	-	-	



## 美標統一螺紋栓規

警告: 使用壽命2000次

檢驗證書

- 符合ANSI/ASME B1.2
- 包含通規和止規
- 帶生產廠檢驗證書

規格	型號			
	等級2B	金額	等級3B	金額
No. 0-80UNF	4131-02	3616.00	4131-02B	5078.00
No. 1-64UNC	4131-11	3551.00	4131-11B	4039.00
No. 1-72UNF	4131-12	3838.00	4131-12B	5602.00
No. 2-56UNC	4131-21	3206.00	4131-21B	4670.00
No. 2-64UNF	4131-22	3695.00	4131-22B	4742.00
No. 3-48UNC	4131-31	3234.00	4131-31B	4740.00
No. 3-56UNF	4131-32	3667.00	4131-32B	4792.00
No. 4-40UNC	4131-41	2072.00	4131-41B	3359.00
No. 4-48UNF	4131-42	3234.00	4131-42B	3927.00
No. 5-40UNC	4131-51	2517.00	4131-51B	3585.00
No. 5-44UNF	4131-52	3235.00	4131-52B	4195.00
No. 6-32UNC	4131-61	1904.00	4131-61B	3585.00
No. 6-40UNF	4131-62	2517.00	4131-62B	3335.00
No. 8-32UNC	4131-81	1905.00	4131-81B	4483.00
No. 8-36UNF	4131-82	2545.00	4131-82B	3630.00
No. 10-24UNC	4131-101	2517.00	4131-101B	3878.00
No. 10-32UNF	4131-102	2071.00	4131-102B	3563.00
No. 12-24UNC	4131-121	2518.00	4131-121B	4026.00
No. 12-28UNF	4131-122	2401.00	4131-122B	3255.00
No. 12-32UNEF	4131-123	2401.00	-	-
1/4-20UNC	4131-1B1	1879.00	4131-1B1B	2790.00
1/4-28UNF	4131-1B2	1975.00	4131-1B2B	3897.00
1/4-32UNEF	4131-1B3	2344.00	-	-
1/4-36UNS	4131-1B4	2775.00	-	-
5/16-18UNC	4131-5D1	1882.00	4131-5D1B	3114.00
5/16-24UNF	4131-5D2	1882.00	4131-5D2B	2751.00
5/16-32UNEF	4131-5D3	2518.00	4131-5D3B	3067.00
3/8-16UNC	4131-3C1	2074.00	4131-3C1B	2752.00
3/8-24UNF	4131-3C2	2075.00	4131-3C2B	3067.00
3/8-32UNEF	4131-3C3	3754.00	-	-
7/16-14UNC	4131-7D1	2462.00	4131-7D1B	3099.00
7/16-20UNF	4131-7D2	2071.00	4131-7D2B	3099.00
7/16-28UNEF	4131-7D3	3457.00	-	-
1/2-13UNC	4131-1A1	2247.00	4131-1A1B	2958.00
1/2-20UNF	4131-1A2	2175.00	4131-1A2B	2896.00
1/2-28UNEF	4131-1A3	3458.00	-	-
9/16-12UNC	4131-9D1	2684.00	4131-9D1B	3101.00
9/16-18UNF	4131-9D2	2179.00	4131-9D2B	3659.00
9/16-24UNEF	4131-9D3	3461.00	4131-9D3B	3320.00
5/8-11UNC	4131-5C1	2948.00	4131-5C1B	4197.00
5/8-18UNF	4131-5C2	2270.00	4131-5C2B	3359.00
5/8-24UNEF	4131-5C3	3461.00	4131-5C3B	3599.00
11/16-16UN	4131-11D516	2916.00	-	-
11/16-24UNEF	4131-11D3	3520.00	-	-
3/4-10UNC	4131-3B1	2992.00	4131-3B1B	3583.00
3/4-16UNF	4131-3B2	2505.00	4131-3B2B	4322.00
3/4-20UNEF	4131-3B3	3306.00	4131-3B3B	4007.00
13/16-16UN	4131-13D516	3005.00	-	-
13/16-20UNEF	4131-13D3	3351.00	-	-



4131-102

規格	型號			
	等級2B	金額	等級3B	金額
7/8-9UNC	4131-7C1	3721.00	4131-7C1B	4444.00
7/8-14UNF	4131-7C2	3230.00	4131-7C2B	3864.00
7/8-16UN	4131-7C516	3175.00	-	-
7/8-20UNEF	4131-7C3	3349.00	4131-7C3B	4007.00
15/16-20UNEF	4131-15D3	4769.00	-	-
1-8UNC	4131-2A1	4079.00	4131-2A1B	4878.00
1-12UNF	4131-2A2	3731.00	4131-2A2B	4453.00
1-14UNS	4131-2A514	4011.00	-	-
1-20UNEF	4131-2A3	4759.00	-	-
1-32UN	4131-2A532	4931.00	4131-2A532B	5925.00
1 1/16-12UN	4131-1E512	3724.00	-	-
1 1/16-18UNEF	4131-1E3	4759.00	-	-
1 1/8-7UNC	4131-1F1	4730.00	4131-1F1B	5666.00
1 1/8-8UN	4131-1F58	4730.00	4131-1F58B	5665.00
1 1/8-12UNF	4131-1F2	4645.00	4131-1F2B	5571.00
1 1/8-18UNEF	4131-1F3	4933.00	-	-
1 3/16-12UN	4131-3E512	4764.00	-	-
1 3/16-18UNEF	4131-3E3	5110.00	-	-
1 1/4-7UNC	4131-1G1	4965.00	-	-
1 1/4-8UN	4131-1G58	4965.00	4131-1G58B	5947.00
1 1/4-12UNF	4131-1G2	4965.00	4131-1G2B	5949.00
1 1/4-18UNEF	4131-1G3	5110.00	-	-
1 5/16-12UN	4131-5E512	5132.00	-	-

美標統一螺紋環規

警告: 使用壽命2000次

檢驗證書

- 符合ANSI/ASME B1.2
- 等級2A
- 帶生產廠檢驗證書



正面



背面

4121-1B1



正面



背面

4121-1B1N

規格	型號			
	GO(通)	金額	NOGO(止)	金額
No. 4-40UNC	4121-41	1953.00	4121-41N	1364.00
No. 4-48UNF	4121-42	3272.00	4121-42N	2294.00
No. 5-40UNC	4121-51	2495.00	4121-51N	1747.00
No. 5-44UNF	4121-52	3272.00	4121-52N	2294.00
No. 6-32UNC	4121-61	1760.00	4121-61N	1268.00
No. 6-40UNF	4121-62	2495.00	4121-62N	2294.00
No. 8-32UNC	4121-81	1761.00	4121-81N	1268.00
No. 8-36UNF	4121-82	2495.00	4121-82N	2323.00
No. 10-24UNC	4121-101	2264.00	4121-101N	1632.00
No. 10-32UNF	4121-102	1754.00	4121-102N	1268.00
No. 12-24UNC	4121-121	2265.00	4121-121N	1633.00
No. 12-28UNF	4121-122	2438.00	4121-122N	1720.00
No. 12-32UNEF	4121-123	2438.00	4121-123N	1720.00
1/4-20UNC	4121-1B1	1765.00	4121-1B1N	1279.00
1/4-28UNF	4121-1B2	1910.00	4121-1B2N	1351.00
1/4-32UNEF	4121-1B3	2440.00	4121-1B3N	1721.00
1/4-36UNS	4121-1B4	3160.00	4121-1B4N	2497.00
5/16-18UNC	4121-5D1	1596.00	4121-5D1N	1158.00
5/16-24UNF	4121-5D2	1594.00	4121-5D2N	1157.00
5/16-32UNEF	4121-5D3	2613.00	4121-5D3N	2037.00
3/8-16UNC	4121-3C1	1597.00	4121-3C1N	1158.00
3/8-24UNF	4121-3C2	1789.00	4121-3C2N	1472.00
3/8-32UNEF	4121-3C3	3619.00	4121-3C3N	2554.00
7/16-14UNC	4121-7D1	2130.00	4121-7D1N	1497.00
7/16-20UNF	4121-7D2	1673.00	4121-7D2N	1165.00
7/16-28UNEF	4121-7D3	3165.00	4121-7D3N	2244.00
1/2-13UNC	4121-1A1	1918.00	4121-1A1N	1356.00
1/2-20UNF	4121-1A2	1793.00	4121-1A2N	1305.00
1/2-28UNEF	4121-1A3	3167.00	4121-1A3N	2242.00
9/16-12UNC	4121-9D1	2445.00	4121-9D1N	1725.00
9/16-18UNF	4121-9D2	1791.00	4121-9D2N	1305.00
9/16-24UNEF	4121-9D3	3161.00	4121-9D3N	2241.00
5/8-11UNC	4121-5C1	2602.00	4121-5C1N	1793.00
5/8-18UNF	4121-5C2	1916.00	4121-5C2N	1354.00
5/8-24UNEF	4121-5C3	3165.00	4121-5C3N	2240.00
11/16-16UN	4121-11D516	3306.00	4121-11D516N	2300.00
11/16-24UNEF	4121-11D3	3794.00	4121-11D3N	2643.00
3/4-10UNC	4121-3B1	2638.00	4121-3B1N	1828.00
3/4-16UNF	4121-3B2	2634.00	4121-3B2N	1826.00
3/4-20UNEF	4121-3B3	3798.00	4121-3B3N	2646.00
13/16-16UN	4121-13D516	3349.00	4121-13D516N	2341.00
13/16-20UNEF	4121-13D3	3839.00	4121-13D3N	2686.00

規格	型號			
	GO(通)	金額	NOGO(止)	金額
7/8-9UNC	4121-7C1	4238.00	4121-7C1N	2992.00
7/8-14UNF	4121-7C2	3663.00	4121-7C2N	2560.00
7/8-16UN	4121-7C516	3663.00	4121-7C516N	2560.00
7/8-20UNEF	4121-7C3	3864.00	4121-7C3N	2703.00
15/16-20UNEF	4121-15D3	4602.00	4121-15D3N	3216.00
1-8UNC	4121-2A1	4611.00	4121-2A1N	3230.00
1-12UNF	4121-2A2	4611.00	4121-2A2N	3230.00
1-14UNS	4121-2A514	5073.00	4121-2A514N	3576.00
1-20UNEF	4121-2A3	4611.00	4121-2A3N	3230.00
1-32UN	4121-2A532	5274.00	4121-2A532N	3719.00
1 1/16-12UN	4121-1E512	4265.00	4121-1E512N	2992.00
1 1/16-18UNEF	4121-1E3	4610.00	4121-1E3N	3221.00
1 1/8-7UNC	4121-1F1	5574.00	4121-1F1N	3982.00
1 1/8-8UN	4121-1F58	5574.00	4121-1F58N	3982.00
1 1/8-12UNF	4121-1F2	5287.00	4121-1F2N	3724.00
1 1/8-18UNEF	4121-1F3	6265.00	4121-1F3N	4415.00
1 3/16-12UN	4121-3E512	5545.00	4121-3E512N	3904.00
1 3/16-18UNEF	4121-3E3	6495.00	4121-3E3N	4594.00
1 1/4-7UNC	4121-1G1	6355.00	4121-1G1N	4504.00
1 1/4-8UN	4121-1G58	6355.00	4121-1G58N	4504.00
1 1/4-12UNF	4121-1G2	5664.00	4121-1G2N	4015.00
1 1/4-18UNEF	4121-1G3	6613.00	4121-1G3N	4705.00
1 5/16-12UN	4121-5E512	5965.00	4121-5E512N	4317.00